

BOARD OF  
BUILDING AND SAFETY  
COMMISSIONERS

MARSHA L. BROWN  
PRESIDENT

VAN AMBATELOS  
VICE-PRESIDENT

VICTOR H. CUEVAS  
HELENA JUBANY  
ELENORE A. WILLIAMS

CITY OF LOS ANGELES  
CALIFORNIA



ANTONIO R. VILLARAIGOSA  
MAYOR

DEPARTMENT OF  
BUILDING AND SAFETY  
201 NORTH FIGUEROA STREET  
LOS ANGELES, CA 90012

ROBERT R. "BUD" OVROM  
GENERAL MANAGER

RAYMOND S. CHAN, C.E., S.E.  
EXECUTIVE OFFICER

**Carl Parker**  
CHIBRO S.p.A. c/o Josam  
2501 S. Front Street  
Philadelphia, PA 19148

Telephone: 215-339-5370

Models:

See attached Pages.

File Number: M-100123

Effective Date: 11/03/2010

Expiration Date: 11/01/2011

Manufacturer: SAME

Item: SS PUSH-FIT DRAINAGE PIPE SYSTEM

**PLEASE REFER TO THE APPLICATION NUMBER ON ALL CORRESPONDENCE, PHONE CALLS & SAMPLES**

The item processed under the above file number has been tested, examined and found to comply with applicable Los Angeles Plumbing Code (LAPC) and/or Los Angeles Mechanical Code (LAMC) and is hereby approved unless revoked for cause.

This letter or the letterhead copy may not be reproduced for use in labeling or advertising, but copies of this letter may be used within your organization and shown as evidence of approval.

**CONDITIONS OF APPROVAL:**

**See attached Pages.**

Each item shall have the name or trademark of manufacturer and model number where it will be visible for inspection.

In order to renew this approval, an application and reexamination fee must be submitted on or before the expiration date shown above. Arrangement shall be made to remove any test samples remaining in the Laboratory. Samples remaining after 21 days from the date of this notice will be shipped collect by the most convenient carrier or disposed of in accordance with applicable regulation.

Handwritten signature of Jason T Tran in black ink.

Jason T Tran  
Mechanical Testing Laboratory, Test Engineer

Handwritten signature of Richard Yee in black ink.

Plumbing / Mechanical Inspection  
Inspection Bureau

**CHIBRO S.p.A. c/o Josam**  
**M-100123**  
**Stainless Steel Push-Fit Drainage System**

**List of Approved Models**

<i>304SS Part Manuf No</i>	<i>316LSS Part Manuf No</i>	<i>316L Item Josam No</i>	<i>Description</i>
40000	50000	JP-0100	1-1/2"x 0.8 ft. Pipe with one socket
40002	50002	JP-0116	1-1/2"x 1.6 ft. Pipe with one socket
40004	50004	JP-0125	1-1/2"x 2.5 ft Pipe with one socket
40006	50006	JP-0133	1-1/2"x 3.3 ft Pipe with one socket
40008	50008	JP-0149	1-1/2"x 4.9 ft Pipe with one socket
40010	50010	JP-0166	1-1/2"x 6.6 ft Pipe with one socket
40012	50012	JP-0182	1-1/2"x 8.2 ft Pipe with one socket
40014	50014	JP-0198	1-1/2"x 9.8 ft Pipe with one socket
40024	50024	JP-0208	2"x 0.8 ft. Pipe with one socket
40026	50026	JP-0216	2"x 1.6 ft. Pipe with one socket
40028	50028	JP-0225	2"x 2.5 ft Pipe with one socket
40030	50030	JP-0233	2"x 3.3 ft Pipe with one socket
40032	50032	JP-0249	2"x 4.9 ft Pipe with one socket
40034	50034	JP-0266	2"x 6.6 ft Pipe with one socket
40036	50036	JP-0282	2"x 8.2 ft Pipe with one socket
40038	50038	JP-0298	2"x 9.8 ft Pipe with one socket
40048	50048	JP-0308	3"x 0.8 ft. Pipe with one socket
40048	50048	JP-0308	3-1/2"x 0.8 ft. Pipe with one socket
40050	50050	JP-0316	3"x 1.6 ft. Pipe with one socket
40050	50050	JP-0316	3-1/2"x 1.6 ft. Pipe with one socket
40052	50052	JP-0325	3"x 2.5 ft Pipe with one socket
40052	50052	JP-0325	3-1/2"x 2.5 ft Pipe with one socket
40054	50054	JP-0333	3"x 3.3 ft Pipe with one socket
40054	50054	JP-0333	3-1/2"x 3.3 ft Pipe with one socket
40056	50056	JP-0349	3"x 4.9 ft Pipe with one socket
40056	50056	JP-0349	3-1/2"x 4.9 ft Pipe with one socket
40058	50058	JP-0366	3"x 6.6 ft Pipe with one socket
40058	50058	JP-0366	3-1/2"x 6.6 ft Pipe with one socket
40060	50060	JP-0382	3"x 8.2 ft Pipe with one socket
40060	50060	JP-0382	3-1/2"x 8.2 ft Pipe with one socket
40062	50062	JP-0398	3"x 9.8 ft Pipe with one socket
40062	50062	JP-0398	3-1/2"x 9.8 ft Pipe with one socket
40096	50096	JP-0408	4"x 0.8 ft. Pipe with one socket
40098	50098	JP-0416	4"x 1.6 ft. Pipe with one socket
40100	50100	JP-0425	4"x 2.5 ft Pipe with one socket
40102	50102	JP-0433	4"x 3.3 ft Pipe with one socket
40104	50104	JP-0449	4"x 4.9 ft Pipe with one socket

40106	50106	JP-0466	4"x 6.6 ft Pipe with one socket
40108	50108	JP-0482	4"x 8.2 ft Pipe with one socket
40110	50110	JP-0498	4"x 9.8 ft Pipe with one socket
40120	50120	JP-0508	5"x 0.8 ft. Pipe with one socket
40122	50122	JP-0516	5"x 1.6 ft. Pipe with one socket
40124	50124	JP-0525	5"x 2.5 ft Pipe with one socket
40126	50126	JP-0533	5"x 3.3 ft Pipe with one socket
40128	50128	JP-0549	5"x 4.9 ft Pipe with one socket
40130	50130	JP-0566	5"x 6.6 ft Pipe with one socket
40132	50132	JP-0582	5"x 8.2 ft Pipe with one socket
40134	50134	JP-0598	5"x 9.8 ft Pipe with one socket
40144	50144	JP-0608	6"x 0.8 ft. Pipe with one socket
40146	50146	JP-0616	6"x 1.6 ft. Pipe with one socket
40148	50148	JP-0625	6"x 2.5 ft Pipe with one socket
40150	50150	JP-0633	6"x 3.3 ft Pipe with one socket
40152	50152	JP-0649	6"x 4.9 ft Pipe with one socket
40154	50154	JP-0666	6"x 6.6 ft Pipe with one socket
40156	50156	JP-0682	6"x 8.2 ft Pipe with one socket
40158	50158	JP-0698	6"x 9.8 ft Pipe with one socket
40168	50168	JP-0808	8"x 0.8 ft. Pipe with one socket
40170	50170	JP-0816	8"x 1.6 ft. Pipe with one socket
40172	50172	JP-0825	8"x 2.5 ft Pipe with one socket
40174	50174	JP-0833	8"x 3.3 ft Pipe with one socket
40176	50176	JP-0849	8"x 4.9 ft Pipe with one socket
40178	50178	JP-0866	8"x 6.6 ft Pipe with one socket
40180	50180	JP-0882	8"x 8.2 ft Pipe with one socket
40182	50182	JP-0898	8"x 9.8 ft Pipe with one socket
41450	51450		1-1/2"x 0.8 ft. Pipe with Two Sockets
41452	51452		1-1/2"x 1.6 ft. Pipe with Two Sockets
41454	51454		1-1/2"x 2.5 ft Pipe with Two Sockets
41456	51456		1-1/2"x 3.3 ft Pipe with Two Sockets
41458	51458		1-1/2"x 4.9 ft Pipe with Two Sockets
41460	51460		1-1/2"x 6.6 ft Pipe with Two Sockets
41462	51462		1-1/2"x 8.2 ft Pipe with Two Sockets
41464	51464		1-1/2"x 9.8 ft Pipe with Two Sockets
41474	51474		2"x 0.8 ft. Pipe with Two Sockets
41476	51476		2"x 1.6 ft. Pipe with Two Sockets
41478	51478		2"x 2.5 ft Pipe with Two Sockets
41480	51480		2"x 3.3 ft Pipe with Two Sockets
41482	51482		2"x 4.9 ft Pipe with Two Sockets
41484	51484		2"x 6.6 ft Pipe with Two Sockets
41486	51486		2"x 8.2 ft Pipe with Two Sockets
41488	51488		2"x 9.8 ft Pipe with Two Sockets
41498	51498		3"x 0.8 ft. Pipe with Two Sockets
41500	51500		3"x 1.6 ft. Pipe with Two Sockets
41502	51502		3"x 2.5 ft Pipe with Two Sockets
41504	51504		3"x 3.3 ft Pipe with Two Sockets
41506	51506		3"x 4.9 ft Pipe with Two Sockets
41508	51508		3"x 6.6 ft Pipe with Two Sockets
41510	51510		3"x 8.2 ft Pipe with Two Sockets

41512	51512		3"x 9.8 ft Pipe with Two Sockets
41526	51526		3-1/2"x 2.5 ft Pipe with Two Sockets
41528	51528		3-1/2"x 3.3 ft Pipe with Two Sockets
41530	51530		3-1/2"x 4.9 ft Pipe with Two Sockets
41532	51532		3-1/2"x 6.6 ft Pipe with Two Sockets
41534	51534		3-1/2"x 8.2 ft Pipe with Two Sockets
41536	51536		3-1/2"x 9.8 ft Pipe with Two Sockets
41550	51550		4"x 2.5 ft Pipe with Two Sockets
41552	51552		4"x 3.3 ft Pipe with Two Sockets
41554	51554		4"x 4.9 ft Pipe with Two Sockets
41556	51556		4"x 6.6 ft Pipe with Two Sockets
41558	51558		4"x 8.2 ft Pipe with Two Sockets
41560	51560		4"x 9.8 ft Pipe with Two Sockets
41574	51574		5"x 2.5 ft Pipe with Two Sockets
41576	51576		5"x 3.3 ft Pipe with Two Sockets
41578	51578		5"x 4.9 ft Pipe with Two Sockets
41580	51580		5"x 6.6 ft Pipe with Two Sockets
41582	51582		5"x 8.2 ft Pipe with Two Sockets
41584	51584		5"x 9.8 ft Pipe with Two Sockets
41598	51598		6"x 2.5 ft Pipe with Two Sockets
41600	51600		6"x 3.3 ft Pipe with Two Sockets
41602	51602		6"x 4.9 ft Pipe with Two Sockets
41604	51604		6"x 6.6 ft Pipe with Two Sockets
41606	51606		6"x 8.2 ft Pipe with Two Sockets
41608	51608		6"x 9.8 ft Pipe with Two Sockets
41622	51622		8"x 2.5 ft Pipe with Two Sockets
41624	51624		8"x 3.3 ft Pipe with Two Sockets
41626	51626		8"x 4.9 ft Pipe with Two Sockets
41628	51628		8"x 6.6 ft Pipe with Two Sockets
41630	51630		8"x 8.2 ft Pipe with Two Sockets
41632	51632		8"x 9.8 ft Pipe with Two Sockets
40290	50290	JF-0188	1-1/2" 1/4 Bend
40292	50292	JF-0190	2" 1/4 Bend
40294	50294	JF-0192	3" 1/4 Bend
40296	50296		3-1/2" 1/4 Bend
40192	50192	JF-0460	1-1/2" 1/4 Bend (Long Radius)
40194	50194	JF-0462	2" 1/4 Bend (Long Radius)
40196	50196	JF-0464	3" 1/4 Bend (Long Radius)
40198	50198		3-1/2" 1/4 Bend (Long Radius)
40298	50298	JF-0468	4" 1/4 Bend (Long Radius)
40300	50300	JF-0470	5" 1/4 Bend (Long Radius)
40302	50302	JF-0472	6" 1/4 Bend (Long Radius)
40206	50206	JF-0474	8" 1/4 Bend (Long Radius)
40312	50312		1-1/2" 1/8 Bend -short
40314	50314		2" 1/8 Bend -short
40316	50316		3" 1/8 Bend -short
40318	50318		3-1/2" 1/8 Bend -short
40216	50216	JF-0604	1-1/2" 1/8 Bend
40218	50218	JF-0606	2" 1/8 Bend
40220	50220	JF-0608	3" 1/8 Bend

40222	50222		3-1/2" 1/8 Bend
40320	50320	JF-0610	4" 1/8 Bend
40322	50322	JF-0612	5" 1/8 Bend
40324	50324	JF-0614	6" 1/8 Bend
40230	50230	JF-0616	8" 1/8 Bend (Long Radius)
40264	50264	JF-0650	1-1/2" 15 degree bend
40266	50266	JF-0652	2" 15 degree bend
40268	50268	JF-0654	3" 15 degree bend
40270	50270		3-1/2" 15 degree bend
40364	50364	JF-0656	4" 15 degree bend
40366	50366	JF-0658	5" 15 degree bend
40368	50368	JF-0660	6" 15 degree bend
40278	50278	JF-0662	8" 15 degree bend
40240	50240	JF-0720	1-1/2" 30 degree bend
40242	50242	JF-0722	2" 30 degree bend
40244	50244	JF-0724	3" 30 degree bend
40246	50246		3-1/2" 30 degree bend
40342	50342	JF-0726	4" 30 degree bend
40344	50344	JF-0728	5" 30 degree bend
40346	50346	JF-0730	6" 30 degree bend
40254	50254	JF-0732	8" 30 degree bend
40284	50284		1-1/2" Short 90 degree 1/4 Bend
40286	50286		2" Short 90 degree 1/4 Bend
40288	50288		3" Short 87 degree 1/4 Bend
45006	55006	JF-2007	4" x 110 mm socket x spigot adapter
45008	55008	JF-2008	6" x 160 mm socket x spigot adapter
45010	55010	JF-2009	8" x 200 mm socket x spigot adapter
45012	55012	JF-2010	8" x 250 mm socket x spigot adapter
45040	55040	JF-2003	53 mm x 2" socket x spigot adapter
45042	55042	JF-2004	2" x 53 mm socket x spigot adapter
45044	55044	JF-2005	3" x 75 mm socket x spigot adapter
45046	55046	JF-2006	75 mm x 3" socket x spigot adapter
40674	50674	JF-1920	2" x 1-1/2" Reducing 90 degree offset double Tee
40634	50634	JF-1922	2" 90 degree offset double Tee
40676	50676	JF-1926	3" x 2" Reducing 90 degree offset double Tee
40636	50636	JF-1928	3" 90 degree offset double Tee
40678	50678		3-1/2" x 2" Reducing 90 degree offset double Tee
40680	50680	JF-1934	4" x 3" Reducing 90 degree offset double Tee
40682	50682		4" x 3-1/2" Reducing 90 degree offset double Tee
40638	50638	JF-1936	4" 90 degree offset double Tee
40684	50684	JF-1937	5" x 4" Reducing 90 degree offset double Tee
40640	50640	JF-1938	5" 90 degree offset double Tee
40686	50686	JF-1944	6" x 4" Reducing 90 degree offset double Tee
40688	50688	JF-1945	6" x 5" Reducing 90 degree offset double Tee
40642	50642	JF-1952	6" 90 degree offset double Tee
40690	50690	JF-1956	8" x 4" Reducing 90 degree offset double Tee
40692	50692	JF-1959	8" x 5" Reducing 90 degree offset double Tee
40694	50694	JF-1960	8" x 6" Reducing 90 degree offset double Tee
40644	50644	JF-1962	8" 90 degree offset double Tee
40704	50704	JF-1602	2" x 1-1/2" Reducing 90 degree offset double Wye

40654	50654	JF-1604	2" 90 degree offset double Wye
40706	50706	JF-1608	3" x 2" Reducing 90 degree offset double Wye
40656	50656	JF-1610	3" 90 degree offset double Wye
40708	50708	JF-1616	4" x 3" Reducing 90 degree offset double Wye
40658	50658	JF-1618	4" 90 degree offset double Wye
40710	50710	JF-1619	5" x 4" Reducing 90 degree offset double Wye
40660	50660	JF-1622	5" 90 degree offset double Wye
40712	50712	JF-1626	6" x 4" Reducing 90 degree offset double Wye
40714	50714	JF-1629	6" x 5" Reducing 90 degree offset double Wye
40662	50662	JF-1630	6" 90 degree offset double Wye
40716	50716	JF-1632	8" x 4" Reducing 90 degree offset double Wye
40718	50718	JF-1634	8" x 5" Reducing 90 degree offset double Wye
40720	50720	JF-1636	8" x 6" Reducing 90 degree offset double Wye
40664	50664	JF-1638	8" 90 degree offset double Wye
45024	55024	JF-1698	2" Combo wye & 1/8 bend
45032	55032	JF-1700	3" x 2" Reducing Combo wye & 1/8 bend
45026	55026	JF-1702	3" Combo wye & 1/8 bend
45034	55034	JF-1704	4" x 2" Reducing Combo wye & 1/8 bend
45014	55014	JF-1706	4" x 3" Reducing Combo wye & 1/8 bend
45028	55028	JF-1708	4" Combo wye & 1/8 bend
45016	55016	JF-1722	6" x 4" Reducing Combo wye & 1/8 bend
45030	55030	JF-1726	6" Combo wye & 1/8 bend
40760	50760	JF-2138	2" x 1-1/2" Concentric Reducer
40762	50762	JF-2139	3" x 1-1/2" Concentric Reducer
40764	50764	JF-2140	3" x 2" Concentric Reducer
40766	50766	JF-2142	4" x 2" Concentric Reducer
40768	50768		3-1/2" x 3" Concentric Reducer
40770	50770	JF-2144	4" x 3" Concentric Reducer
40772	50772	JF-2148	5" x 3" Concentric Reducer
40774	50774		4" x 3-1/2" Concentric Reducer
40776	50776	JF-2150	5" x 4" Concentric Reducer
40778	50778	JF-2156	6" x 4" Concentric Reducer
40780	50780	JF-2158	6" x 5" Concentric Reducer
40782	50782	JF-2166	8" x 5" Concentric Reducer
40784	50784	JF-2168	8" x 6" Concentric Reducer
40868	50868	JF-2045	1-1/2" Cleanout Tee
40870	50870	JF-2046	2" Cleanout Tee
40872	50872	JF-2048	3" Cleanout Tee
40874	50874		3-1/2" Cleanout Tee
40876	50876	JF-2050	4" Cleanout Tee
40878	50878	JF-2052	5" Cleanout Tee
40880	50880	JF-2054	6" Cleanout Tee
40882	50882	JF-2056	8" Cleanout Tee
40818	50818	JF-6499	1-1/2" Coupling
40820	50820	JF-6500	2" Coupling
40822	50822	JF-6501	3" Coupling
40824	50824		3-1/2" Coupling
40826	50826	JF-6502	4" Coupling
40828	50828	JF-6503	5" Coupling
40830	50830	JF-6504	6" Coupling

40832	50832	JF-6505	8" Coupling
40582	50582	JF-1851	2" x 1-1/2" Reducing Double Tee (Cross)
40558	50558	JF-1852	2" Double Tee (Cross)
40584	50584	JF-1854	3" x 2" Reducing Double Tee (Cross)
40560	50560	JF-1856	3" Double Tee (Cross)
40586	50586		3-1/2" x 2" Reducing Double Tee (Cross)
40588	50588	JF-1860	4" x 3" Reducing Double Tee (Cross)
40562	50562	JF-1862	4" Double Tee (Cross)
40590	50590		4" x 3-1/2" Reducing Double Tee (Cross)
40592	50592	JF-1863	5" x 4" Reducing Double Tee (Cross)
40594	50594	JF-1864	6" x 4" Reducing Double Tee (Cross)
40564	50564	JF-1865	5" Double Tee (Cross)
40596	50596	JF-1866	6" x 5" Reducing Double Tee (Cross)
40566	50566	JF-1867	6" Double Tee (Cross)
40598	50598	JF-1874	8" x 4" Reducing Double Tee (Cross)
40600	50600	JF-1875	8" x 5" Reducing Double Tee (Cross)
40602	50602	JF-1877	8" x 6" Reducing Double Tee (Cross)
40568	50568	JF-1878	8" Double Tee (Cross)
40604	50604	JF-1537	2" x 1-1/2" Reducing Double Wye
40570	50570	JF-1538	2" Double Wye
40606	50606	JF-1540	3" x 2" Reducing Double Wye
40608	50608		3-1/2" x 2" Reducing Double Wye
40572	50572	JF-1542	3" Double Wye
40610	50610	JF-1546	4" x 3" Reducing Double Wye
40612	50612		4" x 3-1/2" Reducing Double Wye
40574	50574	JF-1548	4" Double Wye
40614	50614	JF-1550	5" x 4" Reducing Double Wye
40576	50576	JF-1551	5" Double Wye
40616	50616	JF-1552	6" x 4" Reducing Double Wye
40618	50618	JF-1553	6" x 5" Reducing Double Wye
40578	50578	JF-1554	6" Double Wye
40620	50620	JF-1556	8" x 4" Reducing Double Wye
40624	50624	JF-1557	8" x 6" Reducing Double Wye
40580	50580	JF-1558	8" Double Wye
40622	50622	JF-1559	8" x 5" Reducing Double Wye
40794	50794	JF-2188	2" x 1-1/2" Eccentric Reducer
40796	50796	JF-2190	3" x 2" Eccentric Reducer
40798	50798	JF-2192	4" x 2" Eccentric Reducer
40800	50800		3-1/2" x 3" Eccentric Reducer
40802	50802	JF-2194	4" x 3" Eccentric Reducer
40804	50804		4" x 3-1/2" Eccentric Reducer
40806	50806	JF-2196	5" x 4" Eccentric Reducer
40808	50808	JF-2198	6" x 5" Eccentric Reducer
41168	51168	JF-2300	1-1/2" x 1" Female Threaded Adapter
41170	51170	JF-2302	1-1/2" x 1-1/4" Female Threaded Adapter
41172	51172	JF-2306	1-1/2" x 1-1/2" Female Threaded Adapter
41174	51174	JF-2310	2" x 1-1/4" Female Threaded Adapter
41176	51176	JF-2312	2" x 1-1/2" Female Threaded Adapter
41178	51178	JF-2314	2" x 2" Female Threaded Adapter
41200	51800	JF-9016	1-1/2" x 1-1/2" Spigot x Flange adapter w/ANSI 150#

41202	51802	JF-9018	2" x 2" Spigot x Flange adapter w/ANSI 150#
41204	51804	JF-9020	3" x 3" Spigot x Flange adapter w/ANSI 150#
41206	51806		3-1/2" x 3-1/2" Spigot x Flange adapter w/ANSI 150#
41208	51808	JF-9022	4" x 4" Spigot x Flange adapter w/ANSI 150#
41210	51810	JF-9024	5" x 5" Spigot x Flange adapter w/ANSI 150#
41212	51812	JF-9026	6" x 6" Spigot x Flange adapter w/ANSI 150#
41214	51814	JF-9028	8" x 8" Spigot x Flange adapter w/ANSI 150#
41240	51816	JF-9000	1-1/2" x 1-1/2" Socket x Flange adapter w/ANSI 150#
41242	51818	JF-9002	2" x 2" Socket x Flange adapter w/ANSI 150#
41244	51820	JF-9004	3" x 3" Socket x Flange adapter w/ANSI 150#
41246	51822		3-1/2" x 3-1/2" Socket x Flange adapter w/ANSI 150#
41248	51824	JF-9006	4" x 4" Socket x Flange adapter w/ANSI 150#
41250	51826	JF-9008	5" x 5" Socket x Flange adapter w/ANSI 150#
41252	51828	JF-9010	6" x 6" Socket x Flange adapter w/ANSI 150#
41254	51830	JF-9012	8" x 8" Socket x Flange adapter w/ANSI 150#
40416	50416		3-1/2" Long Turn 1/4 Bend
40418	50418		4" Long Turn 1/4 Bend
40420	50420		5" Long Turn 1/4 Bend
41160	51160		3" x 1-1/2" Long reducer x 1000mm
40378	50378		3" Offset fitting 2.95"
40380	50380		3-1/2" Offset fitting 2.95"
40382	50382		4" Offset fitting 2.95"
40384	50384		5" Offset fitting 2.95"
40394	50394		3" Offset fitting 5.12"
40396	50396		3-1/2" Offset fitting 5.12"
40398	50398		4" Offset fitting 5.12"
40400	50400		5" Offset fitting 5.12"
40402	50402		3" Offset fitting 7.87"
40404	50404		3-1/2" Offset fitting 7.87"
40406	50406		4" Offset fitting 7.87"
40408	50408		5" Offset fitting 7.87"
40952	50952		1-1/2" Plug Clamp
40954	50954		2" Plug Clamp
40956	50956		3" Plug Clamp
40958	50958		3-1/2" Plug Clamp
40960	50960		4" Plug Clamp
40962	50962		5" Plug Clamp
40964	50964		6" Plug Clamp
40966	50966		8" Plug Clamp
40890	50890	JF-2480	1-1/2" Socket Plug
40892	50892	JF-2482	2" Socket Plug
40894	50894	JF-2484	3" Socket Plug
40896	50896		3-1/2" Socket Plug
40898	50898	JF-2486	4" Socket Plug
40900	50900	JF-2488	5" Socket Plug
40902	50902	JF-2490	6" Socket Plug
40904	50904	JF-2492	8" Socket Plug
41180	51180	JF-2506	1-1/2" 1-1/2" P-Trap



41181	51181	JF-2508	2" 2" P-Trap
41182	51182	JF-2510	3" 3" P-Trap
41184	51184	JF-2512	4" 4" P-Trap
41186	51186	JF-2514	6" 6" P-Trap
41188	51188	JF-2506-CO	1-1/2" P-Trap w/drain plug
41190	51190	JF-2508-CO	2" P-Trap w/drain plug
40748	50748		2" x 1-1/2" Reducing 1/4 Bend
40750	50750		3" x 2" Reducing 1/4 Bend
40842	50842	JF-6570	1-1/2" Slide Coupling
40844	50844	JF-6572	2" Slide Coupling
40846	50846	JF-6574	3" Slide Coupling
40848	50848		3-1/2" Slide Coupling
40850	50850	JF-6576	4" Slide Coupling
40852	50852	JF-6578	5" Slide Coupling
40854	50854	JF-6580	6" Slide Coupling
40856	50856	JF-6582	8" Slide Coupling
41420	51420	JF-6550	1-1/2" Slip Coupling
41422	51422	JF-6552	2" Slip Coupling
41424	51424	JF-6554	3" Slip Coupling
41426	51426		3-1/2" Slip Coupling
41428	51428	JF-6556	4" Slip Coupling
41430	51430	JF-6558	5" Slip Coupling
41432	51432	JF-6560	6" Slip Coupling
41434	51434	JF-6562	8" Slip Coupling
45018	55018	JF-0810	2" Sweep Tee
45000	55000	JF-0814	3" x 2" Reducing Sweep Tee
45020	55020	JF-0816	3" Sweep Tee
45002	55002	JF-0818	4" x 2" Reducing Sweep Tee
45004	55004	JF-0820	4" x 3" Reducing Sweep Tee
45022	55022	JF-0822	4" Sweep Tee
40432	50432	JF-0902	1-1/2" Tee Branch
40480	50480	JF-0904	2" x 1-1/2" Reducing Tee Branch
40434	50434	JF-0906	2" Tee Branch
40482	50482	JF-0908	3" x 1-1/2" Reducing Tee Branch
40484	50484	JF-0910	3" x 2" Reducing Tee Branch
40436	50436	JF-0912	3" Tee Branch
40438	50438		3-1/2" Tee Branch
40486	50486		3-1/2" x 2" Reducing Tee Branch
40488	50488	JF-0914	4" x 1-1/2" Reducing Tee Branch
40490	50490	JF-0916	4" x 2" Reducing Tee Branch
40492	50492	JF-0918	4" x 3" Reducing Tee Branch
40440	50440	JF-0920	4" Tee Branch
40494	50494		4" x 3-1/2" Reducing Tee Branch
40496	50496	JF-0921	5" x 2" Reducing Tee Branch
40498	50498	JF-0922	5" x 3" Reducing Tee Branch
40500	50500	JF-0923	5" x 4" Reducing Tee Branch
40442	50442	JF-0924	5" Tee Branch
40502	50502	JF-0926	6" x 3" Reducing Tee Branch
40504	50504	JF-0928	6" x 4" Reducing Tee Branch

40506	50506	JF-0929	6" x 5" Reducing Tee Branch
40444	50444	JF-0930	6" Tee Branch
40508	50508	JF-0934	8" x 4" Reducing Tee Branch
40510	50510	JF-0935	8" x 5" Reducing Tee Branch
40512	50512	JF-0936	8" x 6" Reducing Tee Branch
40446	50446	JF-0938	8" Tee Branch
40456	50456	JF-1312	1-1/2" Wye (lateral) Branch
40522	50522	JF-1313	2" x 1-1/2" Reducing Wye Branch
40458	50458	JF-1314	2" Wye (lateral) Branch
40524	50524	JF-1315	3" x 1-1/2" Reducing Wye Branch
40526	50526	JF-1316	3" x 2" Reducing Wye Branch
40460	50460	JF-1318	3" Wye (lateral) Branch
40462	50462		3-1/2" Wye (lateral) Branch
40528	50528		3-1/2" x 2" Reducing Wye Branch
40530	50530	JF-1319	4" x 1-1/2" Reducing Wye Branch
40532	50532	JF-1320	4" x 2" Reducing Wye Branch
40534	50534	JF-1322	4" x 3" Reducing Wye Branch
40536	50536		4" x 3-1/2" Reducing Wye Branch
40464	50464	JF-1324	4" Wye (lateral) Branch
40538	50538	JF-1326	5" x 2" Reducing Wye Branch
40540	50540	JF-1328	5" x 3" Reducing Wye Branch
40542	50542	JF-1330	5" x 4" Reducing Wye Branch
40466	50466	JF-1332	5" Wye (lateral) Branch
40544	50544	JF-1336	6" x 3" Reducing Wye Branch
40546	50546	JF-1338	6" x 4" Reducing Wye Branch
40548	50548	JF-1340	6" x 5" Reducing Wye Branch
40468	50468	JF-1342	6" Wye (lateral) Branch
40550	50550	JF-1348	8" x 4" Reducing Wye Branch
40552	50552	JF-1350	8" x 5" Reducing Wye Branch
40554	50554	JF-1352	8" x 6" Reducing Wye Branch
40470	50470	JF-1354	8" Wye (lateral) Branch
41020	51020	JF-2460	1-1/2" Expansion Plug
41022	51022	JF-2462	2" Expansion Plug
41024	51024	JF-2464	3" Expansion Plug
41026	51026		3-1/2" Expansion Plug
41028	51028	JF-2466	4" Expansion Plug
41030	51030	JF-2468	5" Expansion Plug

**CHIBRO S.p.A. c/o Josam**  
**M-100123**  
**Stainless Steel Push-Fit Drainage System**

**Conditions of Approval:**

1. These products may be installed in plumbing drainage systems which convey chemical wastes, including corrosive chemical waste and sanitary (DWV) systems:
  - a. Stainless steel 304 pipe and fittings shall not be installed underground and shall be kept at least 6 inches above ground.
  - b. Only stainless steel 316L pipe and fittings may be used for belowground applications.
2. These products shall be installed in accordance with the manufacturer's printed instructions and recommendations and in accordance with the Los Angeles Plumbing Code (LAPC), 2008 Edition.
3. A joint (a manual push-fit connection) shall be made using the manufacturer's instructions.
4. The pipe shall be withdrawn from the full socket depth a distance of 10 mm (0.394 in) to allow for thermal expansion.
5. Vents serving a chemical waste drainage system and fixtures discharging chemical wastes into any chemical waste drainage system shall not be combined with vents from any other services.
6. Building owner shall make and keep a permanent record of the location of all drainage and vent piping serving chemical waste systems.
7. Approval of plumbing plans by Mechanical Plan Check Section for chemical waste discharge system utilizing these products shall be required prior to beginning construction.
8. A concurrent approval of the mechanical plans from the Fire Department may be required when these products are used in systems discharging hazardous materials exceeding the amount specified in the Section 91.307 of the Los Angeles Building Code, 2008 Edition.
9. Only chemicals which are compatible with the pipe and rubber rings, in accordance with the manufacturer, shall be discharged into the system.
10. If chemical wastes are to be discharged into the system, a permit from the Industrial Waste Division (323-342-6118) shall be obtained prior to each installation.
11. The maximum temperature limitations for the product is as follows:
  - a. Rubber rings - 212 °F for Ethylene Propene (EPDM), and 392 °F for Fluorine (FPM).

- b. Stainless steel - consult the manufacturer depending upon the chemical composition of the effluent.
12. The pipe and fittings shall be identified as follows:
    - a. Manufacturer-Trade names: CHIBRO-STECKDRAIN
    - b. JOSAM name
    - c. Material: 304 or 316L
    - d. UPC® certification mark
    - e. Pipe size and part number.
  13. Pipes shall be cut by using the tools as recommended by the manufacturer's printed instructions.
  14. Piping shall be hung and supported according to Section 94.314 of the Los Angeles Plumbing Code (LAPC) and the Manufacturer's recommendations.