SPECIFICATION: SS DRAINS 12" SQUARE TOPS GRATE ASSORTMENT FOR JOSAM 41600 AND 43600 TYPE 304 12" SQUARE TOP DRAINS. 41600/43600 **SERIES** ☐ -3Q 3/4 PERFORATED GRATE ☐ STANDARD PERFORATED GRATE ☐ - HG PERFORATED 1/2 GRATE 10 7/16 SQ. 10 7/16 SQ. \_ 10 7/16 SQ. [265] [265] [265] 1 3/16 1 3/16 1 3/16 [30] [30] [30] SLOT WIDTH - .31" [8] FREE AREA - 41.9 IN<sup>2</sup> LOAD - MEDIUM DUTY MEETS ADA AND HEEL-PROOF REQS. SLOT WIDTH - .31" [8] LOAD - MEDIUM DUTY SLOT WIDTH - .31" [8] LOAD - MEDIUM DUTY -LG LADDER GRATE ☐ -SG PERIMETER SLOT GRATE - MG ANTI-SLIP MESH GRATE 10 7/16 SQ. 10 7/16 SQ 10 7/16 SQ. [265] [265] WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov [25] 0 3/16 9 5/8 1 3/16 [245] [30] 1 3/16 [30] 1 3/16 3/8 [30] SLOT WIDTH - .8" [20] LOAD - HEAVY DUTY SLOT WIDTH - .39" [10] LOAD - EXTRA-HEAVY DUTY OPENINGS - .9" X .9" [23 X 23] LOAD - MEDIUM DUTY [10] ☐ - SPG SLOTTED PLATE GRATE 10 7/16 SQ. 265 Ы 1 3/16 [30] SLOT WIDTH - .5" [12] FREE AREA - 25 IN<sup>2</sup> LOAD - HEAVY DUTY MEETS ADA REQS. DATE OF LAST CHANGE: 11/27/23 **NOTES** DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR MICHIGAN CITY, INDIANA USE OF SUPERSEDED OR VOID DATA.