

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	---------------	----------------------	---------------

BRIGGS OPTIONS	<u>OPTION</u>	<u>DEFINITION</u>	BRIGGS
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>			

05-06-24	LAVATORY	<p>A = 27-1/2 for -201</p> <p>A = 29-1/4 for -202</p> <p>B = 34-13/16</p> <p>C = 20-1/2 for -201 and -202</p> <p>C = 18-1/4 for -SP1</p> <p>F = 20-1/4</p> <p>Δ = 31</p> <p>See Introduction about changes to rough in dimensions.</p>	<p>17100</p> <p>17100-BB</p> <p>17380</p> <p>17550</p> <p>17550-BB</p> <p>17590-DP</p> <p>17590</p>	<p>17100-202P</p> <p>17100-BB-202P</p> <p>17380/201</p> <p>17550-SP1P</p> <p>17550-BB/SP1</p> <p>17590-DP-SP1P</p> <p>17590-SP1</p>	BRIGGS	<p>6601</p> <p>6606</p> <p>MILTON</p> <p>20 X 18</p> <p>36 lb weight</p>
05-06-24	LAVATORY	<p>B = 31-9/16</p> <p>C = 18-1/4</p> <p>Δ = 31</p> <p>See Introduction about changes to rough in dimensions.</p>	<p>17550</p> <p>17550-BB</p> <p>17590-DP</p> <p>17590</p>	<p>17550-SP1P</p> <p>17550-BB/SP1</p> <p>17590-DP-SP1P</p> <p>17590-SP1</p>	BRIGGS	<p>6602</p> <p>WHITMAN</p> <p>19 X 17</p> <p>31 lb weight</p>
13-10-14	LAVATORY	<p>See Introduction about changes to rough in dimensions.</p>	17100	17100-202P	BRIGGS	<p>6620</p> <p>6622</p> <p>MILTON</p> <p>20 X 18</p> <p>43 lb shipping weight</p>
05-06-24	LAVATORY	<p>A = 27-1/2</p> <p>C = 16-1/2</p> <p>Δ = 31</p> <p>See Introduction about changes to rough in dimensions.</p>	<p>17380</p> <p>17380-BB</p> <p>17390</p> <p>17390-BP</p> <p>17400</p> <p>17405</p>	<p>17380/201</p> <p>17380-BB-201</p> <p>17390-201</p> <p>17390-BP-201</p> <p>17400-201</p> <p>17405-201P</p>	BRIGGS	<p>6625</p> <p>MILTON</p> <p>20 X 18</p> <p>43 lb shipping weight</p>

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS		CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
96-06-28	LAVATORY	A = 32-5/8 C = 16-3/4 F = 15 Δ = 34 See Introduction about changes to rough in dimensions.	17100	17100-202P	BRIGGS	6630 6635 PETITE GRACE 20 X 22 38 lb weight
05-06-24	LAVATORY	A = 32-3/8 C = 16-3/4 F = 22-1/4 Δ = 34 Sleeve sticks out of wall 5-1/2 in. See Introduction about changes to rough in dimensions.	17100-67 17100-BB- 67	17100-67P 17100-BB-67P	BRIGGS	6640 6645 GRACE 20 X 27 40 lb weight
05-06-24	URINAL	B = 32-15/16 C = 18-1/4 H = 14-3/16 J = 5-1/2 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590- URDP	17590-SP1 17550-UR-SP1P 17560-UR-SP1P 17590-URDP-SP1P	BRIGGS	7501 PENNTON 34 lb weight
05-06-24	URINAL	B = 33-3/16 C = 18-1/4 E = 19-1/8 H = 17-11/16 J = 4 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590- URDP	17590-SP1 17550-UR-SP1P 17560-UR-SP1P 17590-URDP-SP1P	BRIGGS	7530 NEW HILTON 45 lb weight

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
05-06-24	URINAL	B = 41-7/16 C = 18-1/4 E = 22 1/4 H = 20 13/16 J = 6 Δ = 24	17590 17550-UR 17560-UR 17590- URDP	17590-SP1 17550-UR-SP1P 17560-UR-SP1P 17590-URDP-SP1P	BRIGGS 7550 NEW LAWTON 50 lb weight
		See Introduction about changes to rough in dimensions.			