

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL																										
97-05-19	<table border="1"> <thead> <tr> <th>ELKAY OPTIONS</th> <th>OPTION</th> <th>DEFINITION</th> <th>ELKAY</th> </tr> </thead> <tbody> <tr> <td rowspan="8"><b><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></b></td> <td>-C</td> <td>Complete with faucet</td> <td></td> </tr> <tr> <td>-CS</td> <td>Three faucet holes on 2 in. centers</td> <td></td> </tr> <tr> <td>-F</td> <td><b>Foot valve included</b></td> <td></td> </tr> <tr> <td>-G</td> <td>Specific color</td> <td></td> </tr> <tr> <td>-K</td> <td><b>Knee valve included</b></td> <td></td> </tr> <tr> <td>-L</td> <td>Faucet mounted on cooler</td> <td></td> </tr> <tr> <td>WO</td> <td>With Overflow device</td> <td></td> </tr> </tbody> </table>					ELKAY OPTIONS	OPTION	DEFINITION	ELKAY	<b><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></b>	-C	Complete with faucet		-CS	Three faucet holes on 2 in. centers		-F	<b>Foot valve included</b>		-G	Specific color		-K	<b>Knee valve included</b>		-L	Faucet mounted on cooler		WO	With Overflow device	
ELKAY OPTIONS	OPTION	DEFINITION	ELKAY																												
<b><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></b>	-C	Complete with faucet																													
	-CS	Three faucet holes on 2 in. centers																													
	-F	<b>Foot valve included</b>																													
	-G	Specific color																													
	-K	<b>Knee valve included</b>																													
	-L	Faucet mounted on cooler																													
	WO	With Overflow device																													
	99-07-01 SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1557	ELKAY	BE-50A																									
01-10-02 SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1581	ELKAY	BE-50B																										
00-12-14 SINK	B = 38-13/16 C = 18-1/4 J = 15 Δ = 31  See Introduction about changes to rough in dimensions.	17560	17560	ELKAY	CHS-1716 CHS-1716-C 16-3/4 X 15-1/2																										
11-11-16 LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1675	ELKAY	CHSB1716C CHSB17162																										
05-06-24 WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8  See Introduction about changes to rough in dimensions.	17560-WC 17550-WC	17560-WC 17550-WC  Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.	ELKAY	EBFA-4 EBFA-8 EBFSA-4 EBFSA-8																										

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
10-05-27	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-M1654	ELKAY	ECDFPW314C
05-06-24	DRINKING FOUNTAIN	B = 44-5/8 for -SP1T B = 44-1/16 for -008 C = 18-1/4 for -SP1T C = 15-3/4 for -008 H = 14-5/8 J = 12 Δ = 36  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-T 17560-WC-008	ELKAY	EDF-10-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDF-14-C
05-06-24	DRINKING FOUNTAIN	B = 58-1/8 C = 20-3/4 H = 20-11/16 J = 16-7/8 Δ = 40  See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-017	ELKAY	EDF-18-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66 17900	17720-66-66 17900-M1498  -M1498 is preferred	ELKAY	EDF-20-C
97-10-21	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFA-11-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
02-04-25	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFAC-211-C
97-10-21	DRINKING FOUNTAIN	Use Elkay MP-24 mounting box.  See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFB-12-C
97-10-21	DRINKING FOUNTAIN	Use two Elkay MP-24 mounting boxes.  See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFBC-212-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDFP-10-C
15-03-02	DRINKING FOUNTAIN	B = 51-9/16 C = 18-1/4 H = 23-15/16 J = 11 Δ = 34-1/8  See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EDFP19C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66  This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFP-110-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
97-04-28	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17905	17905-M1436	ELKAY	EDFP-117-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDFP-14-C
00-02-10	DRINKING FOUNTAIN	B = 43 C = 36 C' = 20 J = 15-7/8 Δhigh = 39-7/8 <b>to rim</b> Δlow = 34 <b>to rim</b>  See Introduction about changes to rough in dimensions.	17905	17905-M1436  Lower three header rods provide support to the bottom of manufacturer's mounting plate and are not actually fastened to the mounting plate.	ELKAY	EDFP-17-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EDFP-210-C EDFP-214-C
14-12-02	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550	17550-WCBL-M1663	ELKAY	EDFP217C EDFP217FPC EDFP217FPK
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66  This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFPW-114-C
12-06-18	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EDFPVR217RC

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
99-07-22	DRINKING FOUNTAIN	B = 35-1/8 C = 24 H = 6-7/8 Δ = 33-3/4 to rim  <b>See Introduction about changes to rough in dimensions.</b>	17560	17560/1558	ELKAY	EDFP-220-RC
02-05-30	DRINKING FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17550	17550-M1590	ELKAY	EDFPAM117C EDFPBM117C
02-05-30	DRINKING FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17720	17720-M1589	ELKAY	EDFPW114C EDPPB114C
05-06-24	WATER COOLER	B = 51-1/2 C = 18-1/4 H = 6-15/16 J = 6 Δ = 34-3/4  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC-R	ELKAY	EHFA-8 EHFSA-8
12-2-2	FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	EHWM214C EHW214C
12-2-13	FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	EHWM217C EHW217C
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 19-13/16 J = 15 Δ = 33-5/8  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	EIOA-4 EIOA-8
17-06-22	LAVATORY		17720	17720-M1589	ELKAY	ELV-1817 ELV-1817CS3

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	LAVATORY	<b>Use row X on SP1 plate with cutout up.</b>	17720-66	17720-66-M1561	ELKAY	ELV-2219 WASH-UP 22 X 19
05-06-24	LAVATORY	A = 29-3/4 B = 35-1/8 C = 18-1/4 for <b>-SP1</b> C = 25 for <b>-66</b> Y = 4 Δ = 31  <b>Use rows W &amp; X on top SP1 plate with cutout down.</b>	17550 17560 17590-DP 17720-66	17550 17560 17590-DP 17720-66-66	ELKAY	ELV-2219 ELV-2219-CS ELVWO-2219 ELVWO-2219-CS WASH-UP 22 X 19
14-01-29	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	EMABF8WS EMABF8WSSK EMABFDWS
11-10-19	WATER COOLER	B = 38-13/16" C = 18-1/4" C' = 18-1/4" D = 21-11/16" E = 32-5/16" F = 15-3/16"	17560	17560-WCBL	ELKAY	EMABFTLR8
98-09-16	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERP2-8-C
99-02-18	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERFP-2-8
05-06-24	LAVATORY	<b>See Introduction about changes to rough in dimensions.</b>	17380-HD	17380-HD-66	ELKAY	ESLV-2820 SURGEON'S LAVATORY 22 X 19

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	WATER COOLER	B = 59-9/16 C = 18-1/4 H = 22-3/16 J = 12-3/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	ESRWC-8 70 lb shipping weight ESRWC-13 72 lb shipping weight
05-06-24	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720-66	17720-66-66	ELKAY	ESS-2520 ESSB-2520 ESSW-2520 SCRUB-UP 25 X 19-1/2
01-05-29	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720-66	17720-66-M1567	ELKAY	ESS-4924-R ESS-4924-R-F-C SERVICE SINK 49 X 24
05-06-24	WATER COOLER	B = 56-13/16 C = 18-1/4 H = 19-7/16 J = 12-3/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC-R	ELKAY	ESWA-8 ESWA-13
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWA-4 EWA-8 EWA-14 EWA-16 EWA-20
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWCA-4 EWCA-8 EWCA-14

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWHA-8 EWHA-14
	SINK	B = 46-11/16 C = 47 H = 20 J = 5-3/8 Δ = 36	17720	17720-M1503	ELKAY	EWMA-4820 MULTIPLE STATION 45 X 20
	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720	17720-M1449	ELKAY	EWMA-6020 EWMA-6020C MULTIPLE STATION 57 X 20
14-01-14	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720	17720-M1716	ELKAY	EWMA7220 EWMA7220C
12-05-14	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720	17720-M1684	ELKAY	EWMA9620C EWMA9620 EWMA96204 EWMA96208
03-05-23	SINK		17720	17720-M1600	ELKAY	EWSF13026 EWSF13026SACC
03-05-23	SINK		17720-66	17720-66-M1601	ELKAY	EWSF-26026 EWSF- 26026SACC
02-02-12	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720-66 17720-66	17720-66 17720-66-M1562	ELKAY	EWS2520 EWS2520FC SCRUB-UP 25 X 19-1/2
01-05-30	SINK	<b>See Introduction about changes to rough in dimensions.</b>	17720-66	17720-66-M1562	ELKAY	EWS-2520-F-C SCRUB-UP 25 X 19-1/2



CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
01-04-17	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1460	ELKAY	EWS-2520-K-C SCRUB-UP 25 X 19-1/2
05-06-24	SINK	A = 24-1/4 C = 17 Y = 5-3/8 Δ = 36  See Introduction about changes to rough in dimensions.	17720-66	17720-66	ELKAY	EWS-2520-W4-C EWS-2520-W6-C SCRUB-UP 25 X 19-1/2
02-02-12	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1587	ELKAY	EWS3120 EWS3120FC SCRUB-UP 31 X 19-1/2
10-08-10	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1659	ELKAY	EWSFAD1362
12-03-16	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1684	ELKAY	EWSFAD132620S ACC EWSFAD13620
05-06-24	WATER COOLER	B = 37-1/8 C = 36 C' = 18 H = 29-5/8 Δ = 40 Δ = 32-1/2  See Introduction about changes to rough in dimensions.	17550- WCBL	17550-WCBL-013	ELKAY	EWTLA-8 EWTLA-14 EWTLA-16
14-09-01	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZOSTL8C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	WATER COOLER	B = 37-5/8 C = 36-1/2 C'= 18-1/4 D = 20 E = 32-1/8 F = 14-1/4 $\Delta$ high = 36-13/16 $\Delta$ low = 31-5/16  <b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	EZSTL-8 EZTL-8 EZSTLDDC
12-07-03	DRINKING FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	EZSTL8WSLK
05-06-24	WATER COOLER	B = 31-1/2 C = 18-1/4 H = 17-9/16 $\Delta$ = 31 5/16  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	EZ-4 EZS-4 EZ-8 EZS-8 EZS8GL EZS8L
12-07-03	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	EZS8WSLK
10-11-16	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	EZSTL8C
16-1-26	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	EZSTLVR8
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-13/16 $\Delta$ = 35-3/8  <b>to bubbler</b>  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC * 17560-WC *	ELKAY	LIEA-8 LISEA-8
				Use row Z with plates mounted upside down. Use only row Z on bottom plate.		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	WATER COOLER	B = 38-7/8 C = 36-1/2 C'= 18-1/4 D = 20-3/4 E = 33-1/2 F = 15-3/8 $\Delta$ high = 40 3/4 <b>to bubbler</b> $\Delta$ low = 35-3/8 <b>to bubbler</b>  <b>Use rows X &amp; Z on hanger plate, row X on bearing plate. Mount both plates with cutout down.</b>  <b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	LIEATL-8
97-07-16	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	LKTE-8
15-3-23	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	LMABF8WSLK
17-04-17	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL	17550-WCBL	ELKAY	LMABFTL8 LMABFTL8WS
13-11-20	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17550-WC	17550-WC	ELKAY	LVRC8S
16-11-03	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL	17550-WCBL	ELKAY	LVRCGRNTL8WS K
17-01-03	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL	17560-WCBL	ELKAY	LVRCTL8SC
16-11-03	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	LVRCGRN8WSK LVRCSC8S3JO

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC	17550-WC	ELKAY	LWCE-4 LWCE-8
05-06-24	WATER COOLER	B = 29-9/16 C = 18-1/4 H = 15-5/8 Δ = 31-5/16  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC	ELKAY	LZ8 LZS8
11-09-13	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	LZS8WSLK LZSDWSLK LZS8WSVRSK LZSDWSVRSK
14-01-14	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL	17560-WCBL	ELKAY	LZTL-8 LZSTL8WSVRSK LZSTLDDWS LZSTLG8WS LZSTLG8WSSK
05-06-24	WATER COOLER	B = 38-13/16 C = 36-1/2 C' = 18-1/4 D = 21-13/16 E = 33-7/16 F = 16-7/16 Δ <sub>high</sub> = 40 5/8 <b>to bubbler</b> Δ <sub>low</sub> = 35-3/8 <b>to bubbler</b>  <b>See Introduction about changes to rough in dimensions.</b>	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	OBFATL-8-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC 17550-WC	17560-WC 17550-WC	ELKAY	OBF AVR-8
				Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.		
12-2-10	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	VRCGNTL8C
13-06-06	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	VRCGRN8
13-06-06	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	VRCGRN8WSK
11-02-15	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	VRCHD8S
12-08-17	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL	ELKAY	VRCTL8SC VRCTL8WSK VRCTLDDSC VRCTLDDSK VRCTLR8WSK VRCTLRDDWSK
13-05-20	WATER COOLER	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WC	ELKAY	VRC8S VRC8WSK VRCDS
05-06-24	LAVATORY	<b>See Introduction about changes to rough in dimensions.</b>	17550-UR 17590-DP 17720-66	17550-UR 17590-DP 17720-66-66	ELKAY	WCL-1923 WCL-1923-CS LUSTERTONE 23 X 19

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
----------------------------	--------------------------------	---------------------------	----------------------	---------------------------------	----------------------