

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL																										
97-05-19	<table border="1"> <thead> <tr> <th>ELKAY OPTIONS</th> <th>OPTION</th> <th>DEFINITION</th> <th>ELKAY</th> </tr> </thead> <tbody> <tr> <td rowspan="7"><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></td> <td>-C</td> <td>Complete with faucet</td> <td></td> </tr> <tr> <td>-CS</td> <td>Three faucet holes on 2 in. centers</td> <td></td> </tr> <tr> <td>-F</td> <td>Foot valve included</td> <td></td> </tr> <tr> <td>-G</td> <td>Specific color</td> <td></td> </tr> <tr> <td>-K</td> <td>Knee valve included</td> <td></td> </tr> <tr> <td>-L</td> <td>Faucet mounted on cooler</td> <td></td> </tr> <tr> <td>WO</td> <td>With Overflow device</td> <td></td> </tr> </tbody> </table>					ELKAY OPTIONS	OPTION	DEFINITION	ELKAY	<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-C	Complete with faucet		-CS	Three faucet holes on 2 in. centers		-F	Foot valve included		-G	Specific color		-K	Knee valve included		-L	Faucet mounted on cooler		WO	With Overflow device	
ELKAY OPTIONS	OPTION	DEFINITION	ELKAY																												
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-C	Complete with faucet																													
	-CS	Three faucet holes on 2 in. centers																													
	-F	Foot valve included																													
	-G	Specific color																													
	-K	Knee valve included																													
	-L	Faucet mounted on cooler																													
	WO	With Overflow device																													
99-07-01 SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1557	ELKAY	BE-50A																										
01-10-02 SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1581	ELKAY	BE-50B																										
00-12-14 SINK	B = 38-13/16 C = 19 H = 10-9/16 Δ = 31 See Introduction about changes to rough in dimensions.	17560	17560-M1500	ELKAY	CHS-1716 CHS-1716-C 16-3/4 X 15-1/2																										
05-06-24 WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC 17550-WC	17560-WC-SP1 17550-WC-SP1 Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.	ELKAY	EBFA-4 EBFA-8 EBFSA-4 EBFSA-8																										

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 38-13/16 C = 36-1/2 C' = 18-1/4 D = 21-13/16 E = 33-7/16 F = 16-7/16 Δhigh = 40 5/8 to bubbler Δlow = 35-3/8 to bubbler Use rows X & Z on top plates, row X on bottom plates. Mount all plates with cutout down. See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL-SP1 17550-WCBL-SP1	ELKAY	OBFATL-8-C
05-06-24	DRINKING FOUNTAIN	B = 44-5/8 for -SP1T B = 44-1/16 for -008 C = 18-1/4 for -SP1T C = 15-3/4 for -008 H = 14-5/8 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1T 17560-WC-008	ELKAY	EDF-10-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EDF-14-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	DRINKING FOUNTAIN	B = 58-1/8 C = 20-3/4 H = 20-11/16 J = 16-7/8 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-017	ELKAY	EDF-18-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66 17900	17720-66-66 17900-M1498 -M1498 is preferred	ELKAY	EDF-20-C
97-10-21	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFA-11-C
02-04-25	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFAC-211-C
97-10-21	DRINKING FOUNTAIN	Use Elkay MP-24 mounting box. See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFB-12-C
97-10-21	DRINKING FOUNTAIN	Use two Elkay MP-24 mounting boxes. See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFBC-212-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EDFP-10-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66 This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFP-110-C
97-04-28	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17905	17905-M1436	ELKAY	EDFP-117-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EDFP-14-C
00-02-10	DRINKING FOUNTAIN	B = 43 C = 36 C' = 20 J = 15-7/8 Δ _{high} = 39-7/8 to rim Δ _{low} = 34 to rim See Introduction about changes to rough in dimensions.	17905	17905-M1436 Lower three header rods provide support to the bottom of manufacturer's mounting plate and are not actually fastened to the mounting plate.	ELKAY	EDFP-17-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1	ELKAY	EDFP-214-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
03-12-05	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550	17550-WCBL-M1663	ELKAY	EDFP217C EDFP217FPC
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66 This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFPW-114-C
99-07-22	DRINKING FOUNTAIN	B = 35-1/8 C = 24 H = 6-7/8 Δ = 33-3/4 to rim See Introduction about changes to rough in dimensions.	17560	17560/1558	ELKAY	EDFP-220-RC
02-05-30	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550	17550-M1590	ELKAY	EDFPAM117C EDFPBM117C
02-05-30	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17725	17725-M1589	ELKAY	EDFPW114C
05-06-24	WATER COOLER	B = 51-1/2 C = 18-1/4 H = 6-15/16 J = 6 Δ = 34-3/4 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1R	ELKAY	EHFA-8 EHFSA-8
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 19-13/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1	ELKAY	EIOA-4 EIOA-8

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	LAVATORY	A = 30-1/4 B = 35-5/8 B = 33-3/4 for /1561 C = 18-1/4 for -SP1 C = 25 for -66 C = 17 for /1561 H = 7-1/2 for /1561 Y = 4 Δ = 31-1/2 Use row X on SP1 plate with cutout up.	17550 17560 17590-DP 17720-66 17725	17550-SP1P 17560-SP1 17590-DP-SP1P 17720-66-66 17725-M1561	ELKAY	ELV-2219 WASH-UP 22 X 19
05-06-24	LAVATORY	A = 29-3/4 B = 35-1/8 C = 18-1/4 for -SP1 C = 25 for -66 Y = 4 Δ = 31 Use rows W & X on top SP1 plate with cutout down.	17550 17560 17590-DP 17720-66	17550-SP1P 17560-SP1 17590-DP-SP1P 17720-66-66	ELKAY	ELV-2219 ELV-2219-CS ELVWO-2219 ELVWO-2219-CS WASH-UP 22 X 19
98-09-16	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERP2-8-C
99-02-18	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERFP-2-8
05-06-24	LAVATORY	See Introduction about changes to rough in dimensions.	17380-HD	17380-HD-66	ELKAY	ESLV-2820 SURGEON'S LAVATORY 22 X 19

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 59-9/16 C = 18-1/4 H = 22-3/16 J = 12-3/4 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1	ELKAY	ESRWC-8 70 lb shipping weight ESRWC-13 72 lb shipping weight
05-06-24	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66	ELKAY	ESS-2520 ESSB-2520 ESSW-2520 SCRUB-UP 25 X 19-1/2
01-05-29	SINK	See Introduction about changes to rough in dimensions.	17725	17725-M1567	ELKAY	ESS-4924-R ESS-4924-R-F-C SERVICE SINK 49 X 24
05-06-24	WATER COOLER	B = 56-13/16 C = 18-1/4 H = 19-7/16 J = 12-3/4 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1R	ELKAY	ESWA-8 ESWA-13
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EWA-4 EWA-8 EWA-14 EWA-16 EWA-20
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EWCA-4 EWCA-8 EWCA-14

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 $\Delta = 40$ See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	ELKAY	EWHA-8 EWHA-14
	SINK	B = 46-11/16 C = 47 H = 20 J = 5-3/8 $\Delta = 36$	17720	17720-M1503	ELKAY	EWMA-4820 MULTIPLE STATION 45 X 20
	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1449	ELKAY	EWMA-6020 MULTIPLE STATION 57 X 20
03-05-23	SINK		17725	17725-M1600	ELKAY	EWSF-13026
03-05-23	SINK		17725	17725-M1601	ELKAY	EWSF-26026 EWSF- 26026SACC
02-02-12	SINK	See Introduction about changes to rough in dimensions.	17725 17725	17725-66 17725-M1562	ELKAY	EWS2520 EWS2520FC SCRUB-UP 25 X 19-1/2
01-05-30	SINK	See Introduction about changes to rough in dimensions.	17725	17725-M1562	ELKAY	EWS-2520-F-C SCRUB-UP 25 X 19-1/2
01-04-17	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1460	ELKAY	EWS-2520-K-C SCRUB-UP 25 X 19-1/2
05-06-24	SINK	A = 24-1/4 C = 17 Y = 5-3/8 $\Delta = 36$ See Introduction about changes to rough in dimensions.	17720-66	17720-66	ELKAY	EWS-2520-W4-C EWS-2520-W6-C SCRUB-UP 25 X 19-1/2

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
02-02-12	SINK	See Introduction about changes to rough in dimensions.	17725	17725-M1587	ELKAY	EWS3120 EWS3120FC SCRUB-UP 31 X 19-1/2
05-06-24	WATER COOLER	B = 37-1/8 C = 36 C' = 18 H = 29-5/8 Δ = 40 Δ = 32-1/2 See Introduction about changes to rough in dimensions.	17550- WCBL	17550-WCBL-013	ELKAY	EWTLA-8 EWTLA-14 EWTLA-16
05-06-24	WATER COOLER	B = 37-5/8 C = 36-1/2 C'= 18-1/4 D = 20 E = 32-1/8 F = 14-1/4 Δhigh = 36-13/16 Δlow = 31-5/16 See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL-SP1 17550-WCBL-SP1	ELKAY	EZSTL-8 EZTL-8 EZSTLDDC
05-06-24	WATER COOLER	B = 31-1/2 C = 18-1/4 H = 17-9/16 Δ = 31 5/16 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1	ELKAY	EZ-4 EZS-4 EZ-8 EZS-8
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-13/16 Δ = 35-3/8 to bubbler See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	ELKAY	LIEA-8 LISEA-8
				Use row Z with plates mounted upside down. Use only row Z on bottom plate.		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 38-7/8 C = 36-1/2 C' = 18-1/4 D = 20-3/4 E = 33-1/2 F = 15-3/8 Δhigh = 40 3/4 to bubbler Δlow = 35-3/8 to bubbler Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with cutout down. See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL-SP1 17550-WCBL-SP1	ELKAY	LIEATL-8
97-07-16	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	LKTE-8
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC	17550-WC-SP1	ELKAY	LWCE-4 LWCE-8
05-06-24	WATER COOLER	B = 29-9/16 C = 18-1/4 H = 15-5/8 Δ = 31-5/16 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1	ELKAY	LZ8 LZS8
05-06-24	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17560-WCBL-SP1	ELKAY	LZTL-8

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC 17550-WC	17560-WC-SP1 17550-WC-SP1	ELKAY	OBF AVR-8 Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.
05-06-24	LAVATORY	See Introduction about changes to rough in dimensions.	17550-UR 17590-DP 17720-66	17550-UR-SP1P 17590-DP-SP1P 17720-66-66	ELKAY	WCL-1923 WCL-1923-CS LUSTERTONE 23 X 19
10-05-27	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-M1654	ELKAY	ECD FPW314C
10-08-10	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1659	ELKAY	EWSFAD1362
10-11-16	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZSTL8C
11-02-15	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	VRCHD8S
11-09-13	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	LZS8WSLK
11-10-19	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EMABFTLR8
11-11-16	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1675	ELKAY	CHSB1716C CHSB17162
12-2-2	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EHWM214C EHW214C
12-2-10	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	VRCGNTL8C
12-2-13	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EHWM217C EHW217C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
12-03-16	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1684	ELKAY	EWSFAD132620S ACC EWSFAD13620