

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

98-09-17

GERBER OPTIONS	<u>OPTION</u>	<u>DEFINITION</u>	GERBER
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-96	Silicon seats are used instead of brass seats	
	-98	Fixture is punched for concealed arm carrier.	

97-07-21 LAVATORY

A = 29-1/2
 B = 31-13/16
 C = 16-1/4 for **-202**
 C = 18-1/4 for **-SP1**
 F = 15-1/2
 Δ = 31

17100 17100-202P
 17550 17550

GERBER

12-314
 PLYMOUTH
 19 X 17

See Introduction about changes to rough in dimensions.

01-09-19 LAVATORY

B = 31-1/16
 C = 18-1/4
 Δ = 31

17550 17550

GERBER

12-354
 WEST POINT
 14 X 12

See Introduction about changes to rough in dimensions.

01-09-19 LAVATORY

A = 29-3/4
 B = 31-13/16
 C = 16-1/2 for **-202**
 C = 18-1/4 for **-SP1**
 F = 15-3/4
 Δ = 31

17100 17100-202P
 17550 17550

GERBER

12-384
 HAYES
 20 X 18

See Introduction about changes to rough in dimensions.

13-11-22 SINK

See Introduction about changes to rough in dimensions.

12000 ANY 12000 IN BLOWOUT CONFIG

GERBER

12-430
 NORTH POINT

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
05-06-24 LAVATORY	A = 29-1/4 B = 33-15/16 C = 17-3/8 for -202 C = 18-1/4 for -SP1 F = 16-3/4 Δ = 31	17100 17120-10 17125 17550	17100-202P 17120-10-202 17125-202-AJ 17550	* * *	GERBER	12-454 12-458 MONTICELLO 20 X 18
	Use row X on SP1 hanger plate with cutout up.					
	See Introduction about changes to rough in dimensions.					
01-09-19 LAVATORY	A = 32-3/8 C = 16-3/4 F = 22-1/4 Δ = 34	17100-67 17125-67	17100-67P 17125-67-AD	*	GERBER	12-464 12-466 12-468 EATON 20 X 27
	See Introduction about changes to rough in dimensions.					
17-06-22 LAVATORY	See Introduction about changes to rough in dimensions.	17100	17100-203P		GERBER	12-651 12-654 12-658 MONTICELLO II 20 X 18
14-11-10 LAVATORY	See Introduction about changes to rough in dimensions.	17100 17120-10 17125	17100-202P 17120-10-202P 17125-202-AC	* *	GERBER	22-474 22-478 NORTH POINT 22 X 21
05-06-24 URINAL	B = 35-9/16 C = 18-1/4 Δ = 24	17550-UR 17560-UR	17550-UR * 17560-UR *		GERBER	27-750 27-755 CLINTON
	See Introduction about changes to rough in dimensions.					
05-06-24 URINAL	See Introduction about changes to rough in dimensions.	17550-UR 17560-UR	17550-UR * 17560-UR *		GERBER	27-770 27-775 HAMILTON

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 41-1/16 C = 18-1/4 H = 20-1/16 J = 4-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17550-UR 17560-UR	17550-UR * 17560-UR *	GERBER	27-780 MONITOR
18-10-17 URINAL	See Introduction about changes to rough in dimensions.	17560-UR	17560-UR *	GERBER	HE-27-730 NORTH POINT
17-03-03 URINAL	B = 36-11/16 C = 18-1/4 H = 19-7/16 J = 4-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17560-UR	17560-UR *	GERBER	HE-27-735 NORTH POINT