

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

99-11-15

KOHLER OPTIONS	<u>OPTION</u>	<u>DEFINITION</u>	KOHLER
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-B	Bolt holes in splash shield	
	-L	Soap dispenser on left	
	-R	Soap dispenser on right	
	-W	Bolt holes in back of lav under bowl to hold bottom of lav against wall	

05-06-24 LAVATORY	A = 32-1/2 C = 16-3/4 F = 22-1/4 Δ = 34	17100-67 17100-BB-67 17120-67 17125-67	17100-67P 17100-BB-67P 17120-67P 17125-67	* * * *	KOHLER	K-12634 K-12635 K-12636 K-12638 MORNINGSIDE 20 X 27
	See Introduction about changes to rough in dimensions.		Manufacturer's catalog requires the use of concealed arm carriers.			

05-06-24 LAVATORY	A = 29 for -202 A = 27-1/4 for -AAA B = 34-1/2 for all but -SP1 B = 34-9/16 for -SP1 C = 17-1/4 for -202 C = 16-1/2 for -AAA C = 18-1/4 for -SP1 C = 20-3/4 for -531 F = 15-1/2 H = 7-3/4 J = 17-1/2 L = 16-3/4 M = 6 Δ = 31	17100 17100-BB 17380 17380-BB 17550 17550-BB 17560 17560-BB	17100-202P 17100-BB-202P 17380-AAA 17380-BB-AAA 17550 17550-BB 17560-531 17560-BB-531	* * * *	KOHLER	K-12643 GREENWICH 20 X 18
	See Introduction about changes to rough in dimensions.					

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 29 for -202 A = 27-1/4 for -AAB B = 34-1/2 for all but -SP1 B = 34-9/16 for -SP1 C = 19 for -202 and -AAB C = 18-1/4 for -SP1 C = 22-3/4 for -532 F = 16 H = 7-3/4 J = 20-3/4 L = 16-3/4 M = 6 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17100-BB 17380 17380-BB 17550 17550-BB 17560 17560-BB	17100-202P 17100-BB-202P 17380-AAB 17380-BB-AAB 17550 17550-BB 17560-532 17560-BB-532	* * * *	KOHLER GREENWICH 24 X 20
05-06-24 SINK	A = 26-3/4 C = 25 L = 12-5/8 M = 3 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD 17380-BB-HD	17380-HD-203YP 17380-BB-HD-203Y		KOHLER K-12000 K-12781 GILFORD 30 X 22
05-06-24 SINK	A = 26-3/4 C = 19 L = 12-5/8 M = 3 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD 17380-BB-HD	17380-HD-203X 17380-BB-HD-203X		KOHLER K-12784 GILFORD 24 X 22
05-06-24 SINK	A = 26-3/4 C = 25 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD 17380-BB-HD	17380-HD-203YP 17380-BB-HD-203Y		KOHLER K-12787 GILFORD 30 X 22

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	SINK	A = 24 C = 22-1/2 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD 17380-BB- HD	17380-HD-203YP 17380-BB-HD-203Y	KOHLER	K-12793 HOLLISTER 28 X 22
05-06-24	SINK	A = 24 C = 22-1/2 M = 5 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD- 61 17380-BB- HD-61	17380-HD-203YB 17380-BB-HD-203YB with C502510	KOHLER	K-12793 with K-13715 HOLLISTER 28 X 22
05-06-24	SINK	A = 24 C = 22-1/2 M = 5 L = 8-3/4 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD- 60 17380-BB- HD-60	17380-HD-203YA 17380-BB-HD-203YA	KOHLER	K-12793 with CF-806 HOLLISTER 28 X 22
05-06-24	SINK	A = 24 C = 22-1/2 Δ = 36 See Introduction about changes to rough in dimensions.	17380-HD 17380-BB- HD	17380-HD-203YP 17380-BB-HD-203Y	KOHLER	K-12794 HOLLISTER 28 X 22
96-10-28	SINK	B = 32-1/4 C = 15-3/4 D = 9 E = 7 Δ = 30 See Introduction about changes to rough in dimensions.	17730 17735	17730P 17735P	* *	KOHLER K-12867 CAMERTON 25 X 21-1/2

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 30	17100	17100-K165	*	KOHLER K-1721 K-1723 K-1729 CHESAPEAKE 20 X 18
	B = 32-1/16	17100-BB	17100-BB/K165	*	
	C = 15-3/4 for	17120-10	17120-10/K165	*	
	CONCEALED ARM CARRIERS	17120-BP	17120-BP/K165	*	
		17120	17120/K165	*	
	C = 18-1/4 for -SP1	17125	17125-K165-AS	*	
	F = 15-1/2	17120-MMB	17120-MMB/K165	*	
	Δ = 31	17550	*	*	
		17550-BB	17550	*	
	See Introduction about changes to rough in dimensions.	17590-DP	17590-BB	*	
		17590	17590-DP	*	
			17590	*	
				See end of listing for description of K165.	
05-06-24 LAVATORY	A = 29-1/2	17100	17100-K165-AS150		KOHLER K-1722 K-1724 K-1728 CHESAPEAKE 19 X 17
	B = 31-9/16	17100-BB	*		
	C = 15-3/8 for	17120-10	17100-BB/K165-AS150		
	CONCEALED ARM CARRIERS	17120-BP	*		
		17120	17120-10/K165-AS150		
	C = 18-1/4 for -SP1	17125	*		
	F = 15-1/2	17120-MMB	17120-BP/K165-AS150		
	Δ = 31	17550	*		
		17550-BB	17120/K165-AS150		
	See Introduction about changes to rough in dimensions.	17590-DP	*		
		17590	17125-K165-AL-AS150		
			*		
			17120-MMB/K165-AS150		
		*			
		17550			
		*			
		17550-BB			
		*			
		17590-DP			
		*			
		17590			
		*			
			See end of listing for description of K165.		
10-07-02 SINK	See Introduction about changes to rough in dimensions.	17100	17100-202	KOHLER	K-1997 K-1997-1 K-1997-1L K-1997-1R K-1997-4 K-1997-8

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
17-04-05	SINK	See Introduction about changes to rough in dimensions.	17100 17120	17100-202P 17120-202P	KOHLER	K-1999
05-06-24	LAVATORY	<p>A = 29-1/8 B = 34-9/16 C = 17-1/4 for -202 C = 18-1/4 for -SP1 F = 15-1/2 Δ = 31</p> <p>Exposed arm carriers cannot be used to mount these lavatories.</p> <p>See Introduction about changes to rough in dimensions.</p>	<p>17100 17100-BB 17120-10 17120-BP 17120 17125 17120-MMB 17550 17550-BB 17590-DP 17590</p>	<p>17100-202P 17100-BB-202P 17120-10-202P 17120-BP-202P 17120-202P 17125-202-AJ 17120-MMB-202 * 17550 17550-BB 17590-DP 17590</p>	<p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p>	<p>KOHLER</p> <p>K-2005 K-2006 K-2007 KINGSTON SUITE 21 X 18</p>
99-12-22	LAVATORY	<p>No lavatory mounting bracket is provided by Kohler.</p> <p>See Introduction about changes to rough in dimensions.</p>	17550	17550	*	<p>KOHLER</p> <p>K-2015 PINOIR 22 X 18</p>
05-06-24	LAVATORY	<p>A = 29 for -201 A = 27-1/4 for -AAA B = 34-1/2 for -201 and -AAA B = 34-9/16 for -SP1 C = 15-1/4 for -201 C = 15-1/2 for -AAA C = 16-3/4 for -530 C = 18-1/4 for -SP1 F = 14 H = 7-3/4 J = 15-1/2 Δ = 31</p> <p>See Introduction about changes to rough in dimensions.</p>	<p>17100 17100-BB 17120-10 17120-BP 17120 17125 17120-MMB 17380 17380-BB 17390 17390-BP 17400 17405 17550 17550-BB 17560 17560-BB 17590-DP 17590</p>	<p>17100-201 17100-BB-201 17120-10-201 17120-BP-201 17120-201 17125-201-AR 17120-MMB-201 17380-AAA 17380-BB-AAA 17390-AAA 17390-BP-AAA 17400-AAA 17405-AAA 17550 17550-BB 17560-530 17560-BB-530 17590-DP 17590</p>	<p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p>	<p>KOHLER</p> <p>K-2023 K-2025 K-2027 GREENWICH 18 X 15</p>

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
05-06-24	LAVATORY	A = 29-1/4 C = 16-1/2 F = 15-1/2 for -202-H F = 16 1/4 for -202 Δ = 31 See Introduction about changes to rough in dimensions.	17100-75 17100-BB-75 17120-10-75 17120-BP-75 17120-75 17125-75 17120-MMB-75 17100	17100-202 with option -75 17100-BB-202 with option -75 17120-10-202 with option -75 17120-BP-202 with option -75 17120-202 with option -75 17125-202-AC with option -75 17120-MMB-202 with option -75 Option -75 is part no. 566226 17100-202-H for mounting fixture against wall without escutcheons.	* * * * * * * * * * *	KOHLER JAMESTOWN 20 X 18	K-2053 K-2054
05-06-24	LAVATORY	A = 29-1/4 C = 16-1/2 F = 15-1/2 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17100-BB 17120-10 17120-BP 17120 17125 17120-MMB	17100-202P 17100-BB-202P 17120-10-202P 17120-BP-202P 17120-202P 17125-202-AC 17120-MMB-202	* * * * * * *	KOHLER	K-2053 K-2054 K-2084 SOHO 20 X 18
12-06-08	SINK	See Introduction about changes to rough in dimensions.	17100	17100-202		KOHLER	K-2068-1-0 K-2068-4-0 K-2068-8-0
05-06-24	LAVATORY	B = 30-13/16 C = 18-1/4 Δ = 32-1/4 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * * *	KOHLER	K-2083 CHABLIS 24 X 19

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	LAVATORY	B = 30-13/16 C = 18-1/4 Δ = 32-1/4 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * *	KOHLER K-2137 K-2138 CHABLIS 24 X 19
05-06-24	LAVATORY	B = 37-9/16 for -SP1 B = 37-1/2 for -531 C = 18-1/4 for -SP1 C = 20-3/4 for -531 H = 7-3/4 J = 17-1/2 Δ = 34 See Introduction about changes to rough in dimensions.	17550 17550-BB 17560 17560-BB	17550 17550-BB 17560-531 17560-BB-531	* *	KOHLER K-2226 PORTRAIT 27 X 20
10-07-20	SINK	See Introduction about changes to rough in dimensions.	17550 17560	17550 17560		KOHLER K-2272
98-09-15	LAVATORY	B = 35-1/2 C = 12-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17575	17575-K103 with C354501(mod.)- K103	-	KOHLER K-2485 TAUNTON 16 X 14
17-08-10	URINAL	See Introduction about changes to rough in dimensions.	17560	17560-UR		KOHLER K-2590
05-06-24	LAVATORY	B = 36-3/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * *	KOHLER K-2703 HAMPTON <u>22 X 19</u> K-2705 HAMPTON 19 X 17

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	LAVATORY	B = 34-9/16 C = 13-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550-523 17550-BB-523 17590-DP-573 17590-573		KOHLER K-2753 TRAILER 13 X 13
05-06-24	LAVATORY	B = 34-7/8 C = 7-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550-CL	17550-CL-509		KOHLER K-2766 MARSTON 16 X 16
05-06-24	LAVATORY	B = 37-3/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * * *	KOHLER K-2810 HUDSON 20 X 18
05-06-24	LAVATORY	A = 28 B = 37-3/16 for -SP1 C = 17-1/8 for -M628 C = 16-1/4 for -507 C = 18-1/4 for -SP1 D = 6-5/8 E = 4-3/4 F = 13 for -M628 F = 1-7/8 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17120 17415 17420 17425 17430 17435 17440 17550 17550-BB 17590-DP 17590	17100-M628 17120-M628 17415 17420-507P 17425-507 17430-507P 17435-507P 17440-507P 17550 17550-BB 17590-DP 17590	* * * * * * * * * * * *	KOHLER K-2812 HUDSON 20 X 18
05-06-24	LAVATORY	B = 37-3/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * * *	KOHLER K-2849 K-2849-0 HUDSON 20 X 18

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
00-04-27	LAVATORY	B = 34-13/16 C = 16-3/4 for M1514 H = 4-15/16 J = 18-3/8 Δ = 31 See Introduction about changes to rough in dimensions.	17560 - 17415	17560-M1514 17415	*	KOHLER K-2849-W HUDSON 20 X 18
96-10-10	LAVATORY	B = 37-1/4 C = 16-3/4 H = 7-1/8 J = 18-3/8 Δ = 31 See Introduction about changes to rough in dimensions.	17560	17560-M1514		KOHLER K-2849-ZY-* -AA HUDSON 20 X 18
05-06-24	LAVATORY	B = 37-3/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550 17550-BB 17590-DP 17590	17550 17550-BB 17590-DP 17590	* * * *	KOHLER K-2805 K-2861 K-2863 HUDSON 19 X 17
05-06-24	LAVATORY	A = 28 B = 37-3/16 for -SP1 C = 18-1/4 for -SP1 D = 6-5/8 E = 4-3/4 F = 1-7/8 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17120 17550 17550-BB 17590-DP 17590	17100-M628 17120-M628 17550 17550-BB 17590-DP 17590	* * * * * *	KOHLER K-2867 K-2868 HUDSON 19 X 17 This size unit is no longer listed in Kohler's rough-in book.

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
05-06-24 LAVATORY	A = 28	17100	17100-M628	* * * * * * *	KOHLER	K-2867
	B = 37-3/16 for -SP1	17100	17100-BB-M628		HUDSON	K-2868
	C = 15-1/8 for -M628	17120	17120-M628		20 X 18	
	C = 16-1/4 for -507	17415	17415			
	C = 18-1/4 for -SP1	17420	17420-507P			
	D = 6-5/8	17425	17425-507			
	E = 4-3/4	17430	17430-507P			
	F = 13 for -M628	17435	17435-507P			
	F = 1-7/8	17440	17440-507P			
	Δ = 31					
	See Introduction about changes to rough in dimensions.					
05-06-24 LAVATORY	B = 37-3/16	17550	17550	* * * *	KOHLER	K-2869
	C = 18-1/4	17550-BB	17550-BB		HUDSON	K-2868
	Δ = 31	17590-DP	17590-DP		20 X 18	
		17590	17590			
	See Introduction about changes to rough in dimensions.					
16-10-18 SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1618		KOHLER	K-3200 BROCKWAY 3'
16-10-18 SINK	See Introduction about changes to rough in dimensions.	17560	17560 (TWO CARRIERS FOR ONE SINK)		KOHLER	K-3202 BROCKWAY 4'
05-06-24 SINK	A = 30-3/4	17720	17720-535		KOHLER	K-3203 BROCKWAY 5'
	B = 38-1/2	17720-66	17720-66-535			
	C = 56-1/2 for arms					
	C = 52-1/2 for support plate					
	H = 10					
	Δ = 31					
	See Introduction about changes to rough in dimensions.					

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 SINK	A = 30-3/4 B = 38-1/2 C = 64-1/2 H = 10 Δ = 31 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-536 17720-66-536	KOHLER	K-3204 BROCKWAY 6'
10-06-28 SINK	B = 41-13/16" C = 18-1/4 E = 22-1/4" H = 20-13/16" Δ = 24 See Introduction about changes to rough in dimensions.	17550 17560	17550-UR 17560-UR	KOHLER	K-4904-ET K-4904-ER
11-12-2 URINAL	See Introduction about changes to rough in dimensions.	17560	17560-M1676	KOHLER	K-4917
13-6-25 URINAL	See Introduction about changes to rough in dimensions.	17560	17560-UR	KOHLER	K-4918
05-06-24 URINAL	B = 41-13/16 C = 18-1/4 E = 22-1/4 H = 20-13/16 J = 6 Δ = 24 Use rows X & Y on top plate and row W on bottom plate with bottom plate cutout down. See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP *	* * *	KOHLER K-4960-ET K-4960-ER K-4960-R K-4960-T BARDON

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 42-3/16 C = 18-1/4 E = 19-5/16 H = 18-11/16 J = 7-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP	* * *	KOHLER K-4972-T STANWELL
05-06-24 URINAL	B = 41-13/16 C = 18-1/4 E = 20-13/16 H = 20-13/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP *	* * *	KOHLER K-4980-R K-4980-T BARDON
05-06-24 URINAL	B = 36-13/16 C = 18-1/4 E = 19-1/2 H = 18-7/8 J = 6-1/2 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP *	* * *	KOHLER K-4989-R K-4989-T FRESHMAN LITE
15-12-08 URINAL	B = 41-13/16 C = 18-1/4 E = 22-1/4 H = 20-13/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17560-UR	17560-UR		KOHLER K-4991-ET BARDON

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	URINAL	B = 33-5/16 C = 18-1/4 E = 15-13/16 H = 15-3/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR-W 17560-UR-W 17590-URDP-P *	*	KOHLER K-5014-T DEXTER
05-06-24	URINAL	B = 33-5/16 C = 18-1/4 E = 14-3/8 H = 15-13/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP *	* * *	KOHLER K-5016-ET DEXTER LITE
05-06-24	URINAL	B = 33-5/16 C = 18-1/4 E = 14-5/8 H = 16-1/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR 17560-UR 17590-URDP *	* * *	KOHLER K-5016-T DEXTER LITE
05-06-24	URINAL	B = 31-15/16 C = 18-1/4 E = 15-7/8 H = 14-15/16 J = 4 Δ = 24 See Introduction about changes to rough in dimensions.	17560-UR	17560-UR	*	KOHLER K-5024-T DARFIELD
13-09-11	SINK	See Introduction about changes to rough in dimensions.	17560	17560	*	KOHLER K-5027 K-5027-1 K-5027-8 REVE

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	A = 23-3/4 B = 32-3/8 C = 32-1/2 for arms C = 28-1/2 for support plate H = 7-3/4 Δ = 24 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-571 17720-66-571	KOHLER	K-5055 JARVES 3'
05-06-24 URINAL	A = 23-3/4 B = 31-7/8 C = 44-1/2 for arms C = 40-1/2 for support plate H = 7-3/4 Δ = 24 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-534 17720-66-534	KOHLER	K-5056 JARVES 4'
05-06-24 URINAL	A = 23-3/4 B = 32-1/8 C = 56-1/2 for arms C = 52-1/2 for support plate H = 7-3/4 Δ = 24 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-535 17720-66-535	KOHLER	K-5057 JARVES 5'
05-06-24 URINAL	A = 23-3/4 B = 32-1/8 C = 68-1/2 for arms C = 64-1/2 for support plate H = 7-3/4 Δ = 24 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-536 17720-66-536	KOHLER	K-5058 JARVES 6'

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	SINK	See Introduction about changes to rough in dimensions.	17550	17550	KOHLER	K-5150-8 WEVE
16-06-09	URINAL	B = C = 18-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17550 17560	17550-UR 17560-UR	KOHLER	K-5244-ER K-5244-ET STEWARD HYBRID
05-06-24	DRINKING FOUNTAIN	B = 34-5/8 C = 14-3/4 Δ = 36 See Introduction about changes to rough in dimensions.	17590-DP 17590 17550-WC	17590-DP-550 17590-550 17550-WC-550	KOHLER	K-5250-A SERRA
05-06-24	DRINKING FOUNTAIN	B = 40-1/4 C = 9-3/4 Δ = 36 See Introduction about changes to rough in dimensions.	17590-DP 17590 17550-WC	17590-DP-533 17590-533 17550-WC-533D	KOHLER	K-5264-A MILLBROOK
16-05-27	DRINKING FOUNTAIN	B = 33-13/16 C = 18-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17560	17560-UR	KOHLER	K-5452 DEXTER
05-06-24	SINK	A = 35-3/4 B = 43-7/8 C = 20-1/2 for arms C = 16-1/2 for support plate H = 7 Δ = 36 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-545 17720-66-545	KOHLER	K-5980 SUTTON 24 X 18

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
12-08-24	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1693	KOHLER	K-6650 K-6652 SUDBURY 22 X 20
05-06-24	SINK	A = 27-3/4 B = 37-1/16 C = 23 H = 7 Δ = 28 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-570 17720-66-570	KOHLER	K-6714 K-6718 BANNON 22 X 18
05-06-24	SINK	A = 27-3/4 B = 37-1/16 C = 25 H = 7 Δ = 28 See Introduction about changes to rough in dimensions.	17720 17720-66	17720-548 17720-66-548	KOHLER	K-6716 K-6719 BANNON 24 X 20