

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

| TYPE OF FIXTURE | ROUGH-IN DIMENSIONS | CARRIER SERIES | CARRIER MODEL | FIXTURE MANUFACTURER | FIXTURE MODEL |
|-----------------|---------------------|----------------|---------------|----------------------|---------------|
|-----------------|---------------------|----------------|---------------|----------------------|---------------|

98-02-24

| SUNROC OPTIONS  |        |                      | SUNROC |
|---|--------|----------------------|--------|
| <u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>   | OPTION | DEFINITION           |        |
|   | BL     | Bi Level             |        |
|   | F      | Front Push Bars      |        |
|   | HF     | Hands Free operation |        |
| <p>Letters following digit in model number indicate color.<br/>                     Example:<br/> <b>NWCA-8GP</b><br/>                     GP indicates grey paint.</p> |        |                      |        |

|          |                   |   |                      |                                |        |  |
|----------|-------------------|---|----------------------|--------------------------------|--------|--|
| 14-12-05 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17560-WCBL           | 17560-WCBL                     | SUNROC | ADA8ACB<br>ADA8ACBHF<br>ADAF8ACB<br>ADAF8ACBHF |
| 05-06-24 | DRINKING FOUNTAIN | B = 40-5/16<br>C = 18-1/4<br>H = 17-7/8<br>Δ = 40<br><br>See Introduction about changes to rough in dimensions.               | 17550-WC<br>17560-WC | 17550-WC<br>*<br>17560-WC<br>* | SUNROC | CSW-4<br>CSW-8<br>CSW-13                       |
| 12-05-25 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17550-WC<br>17560-WC | 17550-WC<br>17560-WC           | SUNROC | DF-3301  |
| 05-06-24 | DRINKING FOUNTAIN | B = 52-5/16<br>C = 18-1/4<br>H = 11-5/16<br>J = 8<br>Δ = 34-5/8<br><br>See Introduction about changes to rough in dimensions. | 17560-WC             | 17560-WC-R                     | SUNROC | HCWC-8<br>HCWC-8-S                             |

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

|          | TYPE OF FIXTURE   | ROUGH-IN DIMENSIONS   | CARRIER SERIES           | CARRIER MODEL                    | FIXTURE MANUFACTURER | FIXTURE MODEL   |
|----------|-------------------|---|--------------------------|----------------------------------|----------------------|---|
| 05-06-24 | WATER COOLER      | B = 40-5/16<br>C = 18-1/4<br>H = 27-5/16<br>J = 8-1/2<br>Δ = 40<br><br><b>See Introduction about changes to rough in dimensions.</b>  | 17550-WC<br>17560-WC     | 17550-WC<br>*<br>17560-WC<br>*   | SUNROC               | NSW-8<br>NSW-8H<br>NSW-14<br>NSW-14H<br>NSW-16<br>NSW-16H |
| 05-06-24 | WATER COOLER      | B = 40-7/8<br>C = 29-3/4<br>C' = 14-7/8<br>D = 14-7/16<br>E = 32-1/2<br>Δ = 40<br>Δ = 31-5/8<br><br><b>See Introduction about changes to rough in dimensions.</b>   | 17550-WCBL<br>17560-WCBL | 17550-WCBL-019<br>17560-WCBL-019 | SUNROC               | NSW-8T<br>NSW-14T<br>NSW-16T                              |
| 05-06-24 | WATER COOLER      | B = 33-3/8<br>C = 18-1/4<br>H = 20-7/8<br>Δ = 34<br><b>Use slot X with cutout up.</b><br><br><b>See Introduction about changes to rough in dimensions.</b>  | 17550-WC<br>17560-WC     | 17550-WC<br>17560-WC             | SUNROC               | NWCA-5<br>NWCA-8  |
| 98-02-25 | DRINKING FOUNTAIN | B = 40-13/16<br>C = 34-1/2<br>C' = 17-1/4<br>D = 21-1/4<br>E = 33-13/16<br>F = 14-1/4<br>Δ <sub>high</sub> = 43 to<br><b>bubbler</b><br>Δ <sub>low</sub> = 36 to<br><b>bubbler</b><br><br><b>See Introduction about changes to rough in dimensions.</b> | 17560                    | 17560-WCBL-M1489                 | SUNROC               | NWCA-8-BL   |

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

|          | TYPE OF FIXTURE   | ROUGH-IN DIMENSIONS   | CARRIER SERIES       | CARRIER MODEL   | FIXTURE MANUFACTURER | FIXTURE MODEL                            |
|----------|-------------------|---|----------------------|---|----------------------|--|
| 05-06-24 | DRINKING FOUNTAIN | B = 59-1/4<br>C = 16-3/4<br>H = 20-3/4<br>J = 11-3/4<br>Δ = 40 to bubbler<br><br>See Introduction about changes to rough in dimensions. | 17560-WC             | 17560-WC<br><br>Inverted plate.<br>Hanger plate on bottom | SUNROC               | PSR-8<br>PSR-12                          |
| 98-10-05 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17560                | 17560-WCBL-M1436  | SUNROC               | SF-2500<br>SF-2522<br>SF-2580            |
| 05-06-24 | DRINKING FOUNTAIN | B = 36-5/16<br>C = 18-1/4<br>H = 8-15/16<br>J = 16<br>Δ = 33-1/2<br><br>See Introduction about changes to rough in dimensions.          | 17560-WC             | 17560-WC<br>*   | SUNROC               | SF-3100<br>SF-3110<br>SF-3200<br>SF-3210 |
| 05-06-24 | DRINKING FOUNTAIN | B = 33-11/16<br>C = 18-1/4<br>H = 6-5/16<br>J = 16<br>Δ = 33<br><br>See Introduction about changes to rough in dimensions.              | 17560-WC             | 17560-WC<br>*   | SUNROC               | SF-3400                                  |
| 05-06-24 | DRINKING FOUNTAIN | B = 35-7/8<br>C = 18-1/4<br>H = 8-7/16<br>J = 6-1/2<br>Δ = 33-1/2<br><br>See Introduction about changes to rough in dimensions.         | 17550-WC<br>17560-WC | 17550-WC<br>*<br>17560-WC<br>*                            | SUNROC               | SF-3455                                  |
| 96-06-03 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17560                | 17560-WCBL-M1436  | SUNROC               | SF-3600<br>SF-3652                       |

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

|          | TYPE OF FIXTURE   | ROUGH-IN DIMENSIONS   | CARRIER SERIES       | CARRIER MODEL  | FIXTURE MANUFACTURER | FIXTURE MODEL                    |
|----------|-------------------|---|----------------------|--|----------------------|----------------------------------|
| 02-03-13 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17560                | 17560-WCBL-M1436   | SUNROC               | SF-3700                          |
| 05-06-24 | DRINKING FOUNTAIN | Use row X. Top plate cutout down. Bottom plate cutout up.<br><br>See Introduction about changes to rough in dimensions. | 17550-WC<br>17560-WC | 17550-WC *<br>17560-WC *   | SUNROC               | SF-7080                          |
|          | DRINKING FOUNTAIN | B = 34<br>C = 23-3/8<br><br>See Introduction about changes to rough in dimensions.                                      | 17895                | 17895-M1485  | SUNROC               | SF-7240                          |
| 05-06-24 | DRINKING FOUNTAIN | See Introduction about changes to rough in dimensions.  | 17550-WC<br>17560-WC | 17550-WC *<br>17560-WC *   | SUNROC               | SF-7500<br>SF-7550<br>SF-7565    |
| 96-04-16 | WATER COOLER      | See Introduction about changes to rough in dimensions.  |                      | Use of carrier is not recommended. Mounting frame is provided by manufacturer. | SUNROC               | SRF-3700                         |
| 98-10-05 | WATER COOLER      | See Introduction about changes to rough in dimensions.  |                      | Use of carrier is not recommended. Mounting frame is provided by manufacturer. | SUNROC               | SRF-7700<br>SRF-7722<br>SRF-7780 |