

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

98-02-24

SUNROC OPTIONS			SUNROC		
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>			OPTION	DEFINITION	
			BL	Bi Level	
			F	Front Push Bars	
			HF	Hands Free operation	
	<p>Letters following digit in model number indicate color.  <b>Example:</b>  <b>NWCA-8GP</b>  <b>GP indicates grey paint.</b></p>				

14-12-05	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WCBL	17560-WCBL	SUNROC	ADA8ACB ADA8ACBHF ADAF8ACB ADAF8ACBHF
05-06-24	DRINKING FOUNTAIN	B = 40-5/16 C = 18-1/4 H = 17-7/8 Δ = 40  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	SUNROC	CSW-4 CSW-8 CSW-13
12-05-25	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	SUNROC	DF-3301
05-06-24	DRINKING FOUNTAIN	B = 52-5/16 C = 18-1/4 H = 11-5/16 J = 8 Δ = 34-5/8  See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1R	SUNROC	HCWC-8 HCWC-8-S

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 40-5/16 C = 18-1/4 H = 27-5/16 J = 8-1/2 Δ = 40  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	SUNROC	NSW-8 NSW-8H NSW-14 NSW-14H NSW-16 NSW-16H
05-06-24	WATER COOLER	B = 40-7/8 C = 29-3/4 C' = 14-7/8 D = 14-7/16 E = 32-1/2 Δ = 40 Δ = 31-5/8  <b>See Introduction about changes to rough in dimensions.</b>	17550-WCBL 17560-WCBL	17550-WCBL-019 17560-WCBL-019	SUNROC	NSW-8T NSW-14T NSW-16T
05-06-24	WATER COOLER	B = 33-3/8 C = 18-1/4 H = 20-7/8 Δ = 34 <b>Use slot X with cutout up.</b>  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1	SUNROC	NWCA-5 NWCA-8
98-02-25	DRINKING FOUNTAIN	B = 40-13/16 C = 34-1/2 C' = 17-1/4 D = 21-1/4 E = 33-13/16 F = 14-1/4 Δhigh = 43 to <b>bubbler</b> Δlow = 36 to <b>bubbler</b>  <b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL-M1489	SUNROC	NWCA-8-BL

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
05-06-24	DRINKING FOUNTAIN	B = 59-1/4 C = 16-3/4 H = 20-3/4 J = 11-3/4 $\Delta$ = 40 <b>to bubbler</b>  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC-SP1  Inverted plate. Hanger plate on bottom	SUNROC	PSR-8 PSR-12
98-10-05	DRINKING FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL-M1436	SUNROC	SF-2500 SF-2522 SF-2580
05-06-24	DRINKING FOUNTAIN	B = 36-5/16 C = 18-1/4 H = 8-15/16 J = 16 $\Delta$ = 33-1/2  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC-SP1 *	SUNROC	SF-3100 SF-3110 SF-3200 SF-3210
05-06-24	DRINKING FOUNTAIN	B = 33-11/16 C = 18-1/4 H = 6-5/16 J = 16 $\Delta$ = 33  <b>See Introduction about changes to rough in dimensions.</b>	17560-WC	17560-WC-SP1 *	SUNROC	SF-3400
05-06-24	DRINKING FOUNTAIN	B = 35-7/8 C = 18-1/4 H = 8-7/16 J = 6-1/2 $\Delta$ = 33-1/2  <b>See Introduction about changes to rough in dimensions.</b>	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	SUNROC	SF-3455
96-06-03	DRINKING FOUNTAIN	<b>See Introduction about changes to rough in dimensions.</b>	17560	17560-WCBL-M1436	SUNROC	SF-3600 SF-3652

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	<b>TYPE OF FIXTURE</b>	<b>ROUGH-IN DIMENSIONS</b>	<b>CARRIER SERIES</b>	<b>CARRIER MODEL</b>	<b>FIXTURE MANUFACTURER</b>	<b>FIXTURE MODEL</b>
02-03-13	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL-M1436	SUNROC	SF-3700
05-06-24	DRINKING FOUNTAIN	<b>Use row X. Top plate cutout down. Bottom plate cutout up.</b>  See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	SUNROC	SF-7080
	DRINKING FOUNTAIN	B = 34 C = 23-3/8  See Introduction about changes to rough in dimensions.	17895	17895-M1485	SUNROC	SF-7240
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	SUNROC	SF-7500 SF-7550 SF-7565
96-04-16	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	SUNROC	SRF-3700
98-10-05	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	SUNROC	SRF-7700 SRF-7722 SRF-7780