

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

UNIVERSAL-RUNDLE OPTIONS	<u>OPTION</u>	<u>DEFINITION</u>	UNIVERSAL-RUNDLE
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>			

05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR12 with **	UNIVERSAL-RUNDLE	1203 NEW LEDGEMASTER 22 X 19		
		17420	17420-UR12 with **				
		17430	17430-UR12 with **				
		17435	17435-UR12 with **				
		17550	17550-533				
		17550-BB	17550-BB-533				
		17590-DP	17590-DP-578				
		17590	17590-578				
						** 074883	
05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR11 with **	UNIVERSAL-RUNDLE	1204 NEW LEDGEMASTER 19 x 17		
		17420	17420-UR11 with **				
		17430	17430-UR11 with **				
		17435	17435-UR11 with **				
		17550	17550-533				
		17550-BB	17550-BB-533				
		17590-DP	17590-DP-578				
		17590	17590-578				
						** 074881	
05-06-24 LAVATORY	B = 35-1/4 C = 16-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550-533	UNIVERSAL-RUNDLE	1212 NEW WAYNE 19 x 17		
		17550-BB	17550-BB-533				
		17590-DP	17590-DP-578				
		17590	17590-578				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR11 with **	UNIVERSAL- RUNDLE	1214
		17420	17420-UR11 with **		1215
		17430	17430-UR11 with **		NEW WAYNE
		17435	17435-UR11 with **		20 x 18
		17550	17550-533		
		17550-BB	17550-BB-533		
		17590-DP	17590-DP-578		
		17590	17590-578		
			** 074881		
05-06-24 LAVATORY	B = 31-1/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550	* UNIVERSAL- RUNDLE	4551
		17550-BB	17550-BB		CONVOY
		17590-DP	*		15 X 12
		17590	17590-DP		
			*		
05-06-24 LAVATORY	B = 32-7/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550	* UNIVERSAL- RUNDLE	4556
		17550-BB	17550-BB		NEW COLLEEN
		17590-DP	*		20 X 18
		17590	17590-DP		
			*		
05-06-24 LAVATORY	A = 29 B = 32-9/16 C = 16-1/2 for -202 C = 18-1/4 -SP1 F = 16-1/2 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-202P	* UNIVERSAL- RUNDLE	4642
		17100-BB	17100-BB-202P		4642-1
		17120-10	*		4643
		17120-BP	17120-10-202P		CLAYTON
		17120	*		19-1/2 X 19-1/4
		17125	17120-BP-202P		41 lb shipping
		17120-MMB	*		weight
		17550	17120-202P		
		17550-BB	17125-202-AC		
		17590-DP	17120-MMB-202		
		17590	*		
			17550		*
			17550-BB		*
		*			
		17590-DP			
		*			
		17590	*		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 29-5/8 for concealed arms	17100	17100-201	UNIVERSAL- RUNDLE	4646 NEW CAMDEN 18 X 15
		17100-BB	17100-BB-201		
	A = 28 for exposed arms	17120-10	17120-10-201		
		17120-BP	17120-BP-201		
	B = 34-3/16 for- SP1	17120	17120-201		
		17125	17125-201-AP		
	C = 15 for concealed arms	17120-MMB	17120-MMB-201		
		17380	17380/201	*	
	C = 13-3/4 for exposed arms	17380-BB	17380-BB-201		
		17390-BP	*		
	C = 18-1/4 for- SP1	17400	17390-BP-201		
	F = 12-3/4	17550	*		
	Δ = 31	17550-BB	17400-201	*	
		17590-DP	17550	*	
	See Introduction about changes to rough in dimensions.	17590	17550-BB	*	
			*		
		17590-DP	*		
		17590	*		
05-06-24 LAVATORY	A = 29-3/8 for concealed arms	17100	17100-201	UNIVERSAL- RUNDLE	4648 NEW CAMDEN 20 X 18
		17100-BB	17100-BB-201		
	A = 28 for exposed arms	17120-10	17120-10-201		
		17120-BP	17120-BP-201		
	B = 34-7/16 for- SP1	17120	17120-201		
		17125	17125-201-AA		
	C = 16-1/4 for concealed arms	17120-MMB	17120-MMB-201		
		17380	17380/201	*	
	C = 14 for exposed arms	17380-BB	17380-BB-201		
		17390-BP	*		
	C = 18-1/4 for- SP1	17400	17390-BP-201		
	F = 12-3/4	17550	*		
	Δ = 31	17550-BB	17400-201	*	
		17590-DP	17550	*	
	See Introduction about changes to rough in dimensions.	17590	17550-BB	*	
			*		
		17590-DP	*		
		17590	*		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL				
05-06-24 LAVATORY	A = 29-3/8 for concealed arms A = 28 for exposed arms B = 34-7/16 for -SP1 C = 16-1/4 for concealed arms C = 14 for exposed arms C = 18-1/4 for -SP1 F = 12-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-201	UNIVERSAL- RUNDLE	4649 NEW CAMDEN 20 X 18				
		17100-BB	17100-BB-201						
		17120-10	17120-10-201						
		17120-BP	17120-BP-201						
		17120	17120-201						
		17125	17125-201-AA						
		17120-MMB	17120-MMB-201						
		17380	17380/201			*			
		17380-BB	17380-BB-201						
		17390-BP	*						
		17400	17390-BP-201						
		17550	*						
		17550-BB	17400-201			*			
		17590-DP	17550			*			
		17590	17550-BB			*			
	17590-DP	*							
	17590	*							
	17550	*							
	17550-BB	*							
	17590-DP	*							
	17590	*							
05-06-24 LAVATORY	B = 31-13/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550	UNIVERSAL- RUNDLE	4656 NEW COLLEEN 19 X 17				
		17550-BB	17550-BB						
		17590-DP	*						
		17590	17590-DP						
			*						
			17590			*			
		05-06-24 LAVATORY	A = 29 for -202 B = 31-13/16 for -SP1 C = 16-1/4 for -202 C = 18-1/4 for -SP1 F = 15-1/2 Δ = 31 See Introduction about changes to rough in dimensions.			17100	17100-202P	UNIVERSAL- RUNDLE	4658 4659 NEW COLLEEN 20 X 18
						17100-BB	17100-BB-202P		
						17120-10	*		
						17120-BP	17120-10-202P		
17120	*								
17120-MMB	17120-BP-202P								
17550	*								
17550-BB	17120-202P			*					
17590-DP	17120-MMB-202								
17590	*								
	17550	*							
	17550-BB	*							
	17590-DP	*							
	17590	*							
05-06-24 LAVATORY	B = 30-1/2 C = 9-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550-CL	17550-CL-513	UNIVERSAL- RUNDLE	4663 CHAMBERLAIN II 17 X 17				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 31-1/4	17100-67	17100-67P	*	UNIVERSAL- RUNDLE 4682 4683 WHEEL CHAIR 20 X 27
	C = 16-3/4	17100-BB-67	17100-BB-67P	*	
	F = 22-1/4	17120-67	17120-67P	*	
	Δ = 34				
	See Introduction about changes to rough in dimensions.				
05-06-24 LAVATORY	A = 29-3/8 for -202	17100-75	17100-202 with	*	UNIVERSAL- RUNDLE 4698 4699 NEW CAMPUS 20 X 18
	A = 28 for -201		option -75		
	B = 29-13/16 for -SP1	17100-BB-75	17100-BB-202 with	*	
	B = 29-3/8		option -75		
	C = 16-1/4 for -202	17120-10-75	17120-10-202 with	*	
	C = 14 -201		option -75		
	C = 18-1/4 for -SP1	17120-BP-75	17120-BP-202 with	*	
	F = 15-1/2		option -75	*	
	Δ = 31		17120-202 with	*	
			option -75		
		17120-75	17125-202-AA with	*	
			option -75		
		17125-75	17120-MMB-202 with	*	
			option -75		
		17120-MMB-75	Option -75 is part no. 566226		
		17380			
	17380-BB	17380/201	*		
	17390-BP	17380-BB-201			
	17400	*			
	17550	17390-BP-201			
	17550-BB	*			
	17590-DP	17400-201	*		
	17590	17550	*		
		17550-BB	*		
		*			
		17590-DP	*		
		*			
		17590	*		
05-06-24 URINAL	B = 37-3/16	17590	17590	*	UNIVERSAL- RUNDLE 4980 MINI CELTIC
	C = 18-1/4	17550-UR	17550-UR	*	
	E = 22-3/4	17560-UR	*		
	H = 21-13/16	17590-URDP	17560-UR	*	
	J = 5		*		
	Δ = 22		17590-URDP	*	
	See Introduction about changes to rough in dimensions.				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
URINAL	B = 33-13/16 C = 18-1/4 D = 5-1/4 E = 20-1/2 H = 18-11/16 J = 5-1/4 Δ = 22	17805 17815	17805 17815	UNIVERSAL- RUNDLE	4981 COLBY
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 21-1/2 H = 19-13/16 J = 5 Δ = 22	17590 17550-UR 17560-UR 17590- URDP	17590 17550-UR * 17560 * 17590-URDP *	* UNIVERSAL- RUNDLE	4983 CELTIC II
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-1/2 H = 19-13/16 J = 5 Δ = 22	17590 17550-UR 17560-UR 17590- URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL- RUNDLE	4984 CELTIC II
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-3/16 H = 20-3/16 J = 4 Δ = 22	17590 17550-UR 17560-UR 17590- URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL- RUNDLE	4986 CELTIC
	See Introduction about changes to rough in dimensions.				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 40-7/16 C = 18-1/4 E = 24-1/16 H = 24-1/16 J = 4 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL-RUNDLE	4987 CHANDLER 70 lb weight
URINAL	B = 35-1/4 C = 18-1/4 D = 4 E = 0 H = 15-1/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17805 17815	17805 17815	UNIVERSAL-RUNDLE	4990 COLBURN
05-06-24 URINAL	B = 31-1/2 C = 18-1/4 E = 17-1/4 H = 17 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17550-UR 17560-UR	17550-UR * 17560-UR *	UNIVERSAL-RUNDLE	4992 CELTIC
05-06-24 URINAL	B = 31-3/4 C = 18-1/4 E = 18 H = 17-3/4 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17560-UR	17560-UR * On new 4993 with single top hanger, mount -SP1 plate upside down. Align row Z with hanger holes. Align row Y hole with hanger slot.	UNIVERSAL-RUNDLE	4993 BALI

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-1/2 H = 19-13/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL-RUNDLE	4998 CHALLENGE II
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 21-1/2 H = 19-13/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL-RUNDLE	4999 CHALLENGE II
05-06-24 SINK	B = 39-3/16 C = 22-1/2 H = 11 Δ = 27-3/4 See Introduction about changes to rough in dimensions.	17720-66	17720-66-569	UNIVERSAL-RUNDLE	97031 CREST 22 X 18
05-06-24 LAVATORY	A = 29 for -202 A = 27 for -AAA B = 33-15/16 C = 17 for -202 C = 17-1/2 for -AAA C = 18-3/4 for -521 and -571 F = 16 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17100-BB 17120-10 17120-BP 17120 17125 17380 17380-BB 17390-BP 17400 17550 17550-BB 17590-DP 17590	17100-202P 17100-BB-202P * 17120-10-202P * 17120-BP-202P * 17120-202P 17125-202-AF 17380-AAA 17380-BB-AAA 17390-BP-AAA 17400-AAA 17550-521 17550-BB-521 17590-DP-571 17590-571	* UNIVERSAL-RUNDLE	97330 97331 20 X 18

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 33 C = 16-3/4 F = 22-1/4 Δ = 34 See Introduction about changes to rough in dimensions.	17100-67 17100-BB-67	17100-67P 17100-BB-67P *	* UNIVERSAL-RUNDLE	97332 97333 27 X 20
05-06-24 URINAL	B = 36-15/16 C = 18-1/4 E = 20-1/2 H = 19-9/16 J = 4-1/4 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL-RUNDLE	97390
05-06-24 URINAL	B = 33-13/16 C = 18-1/4 E = 17-1/8 H = 16-3/16 J = 6 Δ = 24 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590 17550-UR * 17560-UR * 17590-URDP *	* UNIVERSAL-RUNDLE	97391