

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

UNIVERSAL-RUNDLE OPTIONS	<u>OPTION</u>	<u>DEFINITION</u>	UNIVERSAL-RUNDLE
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>			

05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR12 with **	UNIVERSAL-RUNDLE	1203 NEW LEDGEMASTER 22 X 19
		17420	17420-UR12 with **		
		17430	17430-UR12 with **		
		17435	17435-UR12 with **		
		17550	17550-533		
		17550-BB	17550-BB-533		
		17590-DP	17590-DP-578		
		17590	17590-578		
			** 074883		
05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR11 with **	UNIVERSAL-RUNDLE	1204 NEW LEDGEMASTER 19 x 17
		17420	17420-UR11 with **		
		17430	17430-UR11 with **		
		17435	17435-UR11 with **		
		17550	17550-533		
		17550-BB	17550-BB-533		
		17590-DP	17590-DP-578		
		17590	17590-578		
			** 074881		
05-06-24 LAVATORY	B = 35-1/4 C = 16-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550-533	UNIVERSAL-RUNDLE	1212 NEW WAYNE 19 x 17
		17550-BB	17550-BB-533		
		17590-DP	17590-DP-578		
		17590	17590-578		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	See Introduction about changes to rough in dimensions.	17415	17415-UR11 with **	UNIVERSAL-RUNDLE	1214
		17420	17420-UR11 with **		1215
		17430	17430-UR11 with **		NEW WAYNE
		17435	17435-UR11 with **		20 x 18
		17550	17550-533		
		17550-BB	17550-BB-533		
		17590-DP	17590-DP-578		
		17590	17590-578		
			** 074881		
05-06-24 LAVATORY	B = 31-1/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550-SP1P	UNIVERSAL-RUNDLE	4551
		17550-BB	17550-BB/SP1		CONVOY
		17590-DP	*		15 X 12
		17590	17590-DP-SP1P		
			17590-SP1	*	
05-06-24 LAVATORY	B = 32-7/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550-SP1P	UNIVERSAL-RUNDLE	4556
		17550-BB	17550-BB/SP1		NEW COLLEEN
		17590-DP	*		20 X 18
		17590	17590-DP-SP1P		
			17590-SP1	*	
05-06-24 LAVATORY	A = 29 B = 32-9/16 C = 16-1/2 for -202 C = 18-1/4 -SP1 F = 16-1/2 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-202P	UNIVERSAL-RUNDLE	4642
		17100-BB	17100-BB-202P		4642-1
		17120-10	*		4643
		17120-BP	17120-10-202P		CLAYTON
		17120	*		19-1/2 X 19-1/4
		17125	17120-BP-202P		41 lb shipping weight
		17120-MMB	*		
		17550	17120-202P		*
		17550-BB	17125-202-AC		*
		17590-DP	17120-MMB-202		*
		17590	*		
		17550-SP1P	*		
		17550-BB/SP1			
		*			
		17590-DP-SP1P			
		*			
		17590-SP1	*		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 29-5/8 for concealed arms A = 28 for exposed arms B = 34-3/16 for- SP1 C = 15 for concealed arms C = 13-3/4 for exposed arms C = 18-1/4 for- SP1 F = 12-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-201	UNIVERSAL- RUNDLE	4646 NEW CAMDEN 18 X 15
		17100-BB	17100-BB-201		
		17120-10	17120-10-201		
		17120-BP	17120-BP-201		
		17120	17120-201		
		17125	17125-201-AP		
		17120-MMB	17120-MMB-201		
		17380	17380/201		
		17380-BB	17380-BB-201		
		17390-BP	*		
		17400	17390-BP-201		
		17550	*		
		17550-BB	17400-201		
		17590-DP	17550-SP1P		
		17590	17550-BB/SP1		
	*				
	17590-DP-SP1P				
	*				
	17590-SP1				
	*				
05-06-24 LAVATORY	A = 29-3/8 for concealed arms A = 28 for exposed arms B = 34-7/16 for- SP1 C = 16-1/4 for concealed arms C = 14 for exposed arms C = 18-1/4 for- SP1 F = 12-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-201	UNIVERSAL- RUNDLE	4648 NEW CAMDEN 20 X 18
		17100-BB	17100-BB-201		
		17120-10	17120-10-201		
		17120-BP	17120-BP-201		
		17120	17120-201		
		17125	17125-201-AA		
		17120-MMB	17120-MMB-201		
		17380	17380/201		
		17380-BB	17380-BB-201		
		17390-BP	*		
		17400	17390-BP-201		
		17550	*		
		17550-BB	17400-201		
		17590-DP	17550-SP1P		
		17590	17550-BB/SP1		
	*				
	17590-DP-SP1P				
	*				
	17590-SP1				
	*				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL	
05-06-24 LAVATORY	A = 29-3/8 for concealed arms A = 28 for exposed arms B = 34-7/16 for -SP1 C = 16-1/4 for concealed arms C = 14 for exposed arms C = 18-1/4 for -SP1 F = 12-3/4 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-201	UNIVERSAL- RUNDLE	4649 NEW CAMDEN 20 X 18	
		17100-BB	17100-BB-201			
		17120-10	17120-10-201			
		17120-BP	17120-BP-201			
		17120	17120-201			
		17125	17125-201-AA			
		17120-MMB	17120-MMB-201			
		17380	17380/201			*
		17380-BB	17380-BB-201			
		17390-BP	*			
		17400	17390-BP-201			
		17550	*			
		17550-BB	17400-201			*
		17590-DP	17550-SP1P			*
		17590	17550-BB/SP1			*
	17590-DP-SP1P	*				
	17590-SP1	*				
05-06-24 LAVATORY	B = 31-13/16 C = 18-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550	17550-SP1P	UNIVERSAL- RUNDLE	4656 NEW COLLEEN 19 X 17	
		17550-BB	17550-BB/SP1			
		17590-DP	*			
		17590	17590-DP-SP1P			
			*			
			17590-SP1			*
05-06-24 LAVATORY	A = 29 for -202 B = 31-13/16 for -SP1 C = 16-1/4 for -202 C = 18-1/4 for -SP1 F = 15-1/2 Δ = 31 See Introduction about changes to rough in dimensions.	17100	17100-202P	UNIVERSAL- RUNDLE	4658 4659 NEW COLLEEN 20 X 18	
		17100-BB	17100-BB-202P			
		17120-10	*			
		17120-BP	17120-10-202P			
		17120	*			
		17120-MMB	17120-BP-202P			
		17550	*			
		17550-BB	17120-202P			*
		17590-DP	17120-MMB-202			
		17590	*			
			17550-SP1P			*
			17550-BB/SP1			*
			*			
			17590-DP-SP1P			*
			*			
	17590-SP1	*				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
LAVATORY	A = 29 for -202 B = 31-13/16 for -SP1 C = 16-1/4 for -202 C = 18-1/4 for -SP1 F = 15-1/2 for -202 See Introduction about changes to rough in dimensions.	17100 17550	17100-202P 17550-SP1P	* *	UNIVERSAL- RUNDLE 4658 4659 NEW COLLEEN 20 X 18
05-06-24 LAVATORY	B = 30-1/2 C = 9-1/4 Δ = 31 See Introduction about changes to rough in dimensions.	17550-CL	17550-CL-513		UNIVERSAL- RUNDLE 4663 CHAMBERLAIN II 17 X 17
05-06-24 LAVATORY	A = 31-1/4 C = 16-3/4 F = 22-1/4 Δ = 34 See Introduction about changes to rough in dimensions.	17100-67 17100-BB-67 17120-67	17100-67P 17100-BB-67P * 17120-67P	* *	UNIVERSAL- RUNDLE 4682 4683 WHEEL CHAIR 20 X 27

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 29-3/8 for -202 A = 28 for -201 B = 29-13/16 for -SP1 B = 29-3/8 C = 16-1/4 for -202 C = 14 -201 C = 18-1/4 for -SP1 F = 15-1/2 Δ = 31 See Introduction about changes to rough in dimensions.	17100-75	17100-202 with * option -75	UNIVERSAL- RUNDLE	4698
		17100-BB-75	17100-BB-202 with * option -75		4699
		17120-10-75	17120-10-202 with * option -75		NEW CAMPUS
		17120-BP-75	17120-BP-202 with * option -75		20 X 18
		17120-75	17120-202 with * option -75		
		17125-75	17125-202-AA with * option -75		
		17120-MMB-75	17120-MMB-202 with * option -75		
		17120-MMB-75	Option -75 is part no. 566226		
		17380			
		17380-BB	17380/201 *		
		17390-BP	17380-BB-201		
		17400	*		
		17550	17390-BP-201		
		17550-BB	*		
		17590-DP	17400-201 *		
		17590	17550-SP1P *		
			17550-BB/SP1		
			*		
			17590-DP-SP1P		
			*		
	17590-SP1 *				
05-06-24 URINAL	B = 37-3/16 C = 18-1/4 E = 22-3/4 H = 21-13/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17590	17590-SP1 *	UNIVERSAL- RUNDLE	4980
		17550-UR	17550-UR-SP1P		MINI CELTIC
		17560-UR	*		
		17590-URDP	17560-UR-SP1P		
			*		
			17590-URDP-SP1P		
			*		

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
URINAL	B = 33-13/16 C = 18-1/4 D = 5-1/4 E = 20-1/2 H = 18-11/16 J = 5-1/4 Δ = 22	17805 17815	17805-SP1 17815-SP1	UNIVERSAL- RUNDLE	4981 COLBY
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 21-1/2 H = 19-13/16 J = 5 Δ = 22	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	UNIVERSAL- RUNDLE	4983 CELTIC II
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-1/2 H = 19-13/16 J = 5 Δ = 22	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	UNIVERSAL- RUNDLE	4984 CELTIC II
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-3/16 H = 20-3/16 J = 4 Δ = 22	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	UNIVERSAL- RUNDLE	4986 CELTIC
	See Introduction about changes to rough in dimensions.				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 40-7/16 C = 18-1/4 E = 24-1/16 H = 24-1/16 J = 4 Δ = 24	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 * 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	UNIVERSAL-RUNDLE	4987 CHANDLER 70 lb weight
	See Introduction about changes to rough in dimensions.				
URINAL	B = 35-1/4 C = 18-1/4 D = 4 E = 0 H = 15-1/16 J = 5 Δ = 22	17805 17815	17805-SP1 17815-SP1	UNIVERSAL-RUNDLE	4990 COLBURN
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 31-1/2 C = 18-1/4 E = 17-1/4 H = 17 J = 5 Δ = 22	17550-UR 17560-UR	17550-UR-SP1P * * 17560-UR-SP1P *	UNIVERSAL-RUNDLE	4992 CELTIC
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 31-3/4 C = 18-1/4 E = 18 H = 17-3/4 J = 5 Δ = 22	17560-UR	17560-UR-SP1P * * On new 4993 with single top hanger, mount -SP1 plate upside down. Align row Z with hanger holes. Align row Y hole with hanger slot.	UNIVERSAL-RUNDLE	4993 BALI
	See Introduction about changes to rough in dimensions.				

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 20-1/2 H = 19-13/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	* UNIVERSAL- RUNDLE	4998 CHALLENGE II
05-06-24 URINAL	B = 39-7/16 C = 18-1/4 E = 21-1/2 H = 19-13/16 J = 5 Δ = 22 See Introduction about changes to rough in dimensions.	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	* UNIVERSAL- RUNDLE	4999 CHALLENGE II
05-06-24 SINK	B = 39-3/16 C = 22-1/2 H = 11 Δ = 27-3/4 See Introduction about changes to rough in dimensions.	17720-66	17720-66-569	UNIVERSAL- RUNDLE	97031 CREST 22 X 18
05-06-24 LAVATORY	A = 29 for -202 A = 27 for -AAA B = 33-15/16 C = 17 for -202 C = 17-1/2 for -AAA C = 18-3/4 for -521 and -571 F = 16 Δ = 31 See Introduction about changes to rough in dimensions.	17100 17100-BB 17120-10 17120-BP 17120 17125 17380 17380-BB 17390-BP 17400 17550 17550-BB 17590-DP 17590	17100-202P 17100-BB-202P * 17120-10-202P * 17120-BP-202P * 17120-202P 17125-202-AF 17380-AAA 17380-BB-AAA 17390-BP-AAA 17400-AAA 17550-521 17550-BB-521 17590-DP-571 17590-571	* UNIVERSAL- RUNDLE	97330 97331 20 X 18

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 LAVATORY	A = 33 C = 16-3/4 F = 22-1/4 Δ = 34	17100-67 17100-BB-67	17100-67P 17100-BB-67P *	* UNIVERSAL-RUNDLE	97332 97333 27 X 20
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 36-15/16 C = 18-1/4 E = 20-1/2 H = 19-9/16 J = 4-1/4 Δ = 24	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	* UNIVERSAL-RUNDLE	97390
	See Introduction about changes to rough in dimensions.				
05-06-24 URINAL	B = 33-13/16 C = 18-1/4 E = 17-1/8 H = 16-3/16 J = 6 Δ = 24	17590 17550-UR 17560-UR 17590-URDP	17590-SP1 17550-UR-SP1P * 17560-UR-SP1P * 17590-URDP-SP1P *	* UNIVERSAL-RUNDLE	97391
	See Introduction about changes to rough in dimensions.				