

SPECIFICATION:


JOSAM SERIES 46300 FABRICATED STAINLESS STEEL (TYPE 304, 2mm THK), 6" WIDE, V-SHAPED BOTTOM, AVAILABLE WITH OR WITHOUT SLOPE (1% STD.), WITH ANCHOR TABS AND LEVELING FEET, NO-HUB BOTTOM OUTLET AND GRATE OPTIONS.

RUN LENGTHS LONGER THAN 10' PROVIDED WITH FLANGES, GASKETS AND HARDWARE.

SS TRENCH CHANNEL**6" WIDE**

SERIES **46300**^(XY)

SEE 46300 TOPS DRAWING FOR GRATE DETAILS


**SPECIFICATIONS:**☐ **LINEAR RUN**

TOTAL RUN LENGTH (L) = _____

* START HEIGHT (H1) (STD. $2 \frac{3}{8}$ " [60]) = _____☐ HEIGHT AT OUTLET (H2) = _____☐ OR STD 1% SLOPE☐ OUTLET AT END OF RUN☐ OUTLET MID-RUN (SPEC. LENGTH L1) = _____☐ **NON-LINEAR RUN**

PROVIDE SKETCH WITH CRITICAL LENGTH AND HEIGHT DIMENSIONS AND OUTLET LOCATION(S).

* WHEN -FC IS SPECIFIED, START HEIGHT (H1) IS MIN. 4" [102]



* 2" AND 3" OUTLETS USE FLAT STRAINER

AUTHORIZED PROJECT
SIGNATURE AND DATE:

NAME: _____

TITLE: _____

SIGNATURE: _____

DATE: _____

NOTE: ALL SS TRENCH CHANNELS ARE CUSTOM FABRICATED. ORDERS ARE NON-CANCELLABLE AND NON-RETURNABLE.

OPTIONS:

<input type="checkbox"/>	-FB	FILTER BASKET*
<input type="checkbox"/>	-SB	SEDIMENT BUCKET (N/A 2", 3")
<input type="checkbox"/>	-VP	SECURED GRATE
<input type="checkbox"/>	-316	TYPE 316L MATERIAL
<input type="checkbox"/>	-BW	BUTT-WELD OUTLET (SPEC. 10, 40, 80)
<input type="checkbox"/>	-T	THREADED OUTLET (2"-3")
<input type="checkbox"/>	-PFO	PUSH-FIT OUTLET DIAMETER
<input type="checkbox"/>	-FC*	FLANGE AND CLAMP

X = GRATE TYPE

<input type="checkbox"/>	0	NO GRATE
<input type="checkbox"/>	1	PERFORATED SHEET GRATE
<input type="checkbox"/>	2	ANTI-SLIP MESH GRATE
<input type="checkbox"/>	3	PERIMETER SLOT GRATE
<input type="checkbox"/>	4	LADDER GRATE

Y = OUTLET SIZE

<input type="checkbox"/>	2"
<input type="checkbox"/>	3"
<input type="checkbox"/>	4"

DATE OF LAST CHANGE: 04/03/25 | BLK

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM
MICHIGAN CITY, INDIANA

NOTES