

55000 Series KLEENATRON® II ASSEMBLY

WIDE CHOICE OF COVERS

Tops and covers for every area. Round-square, tile-terrazzo, medium-special-duty. Standard cast iron secured cover has special-duty rating.*

***SPECIAL-DUTY:** Grates testing over 10,000 lb. (4500 kg.) ASME 112.6.3-2001.

ADJUSTABLE BUSHING

Precision machine threaded cast iron bushing provides LEVELEZE® adjustment; non-tilting top. Body protects threads from concrete, allowing adjustment after pour.

EASY IN – EASY OUT CLOSURE PLUG

ABS plastic closure plug with gas-tight sealing tapered threads.

OPTIONAL CLAMP RING


To secure waterproof membrane to flashing flange.

OPTIONAL (-F) FLASHING FLANGE

Mates with machined exterior thread on ferrule to provide watertight connection without the additional use of sealant by others.

CAST IRON BODY

With interior threads to provide unimpaired LEVELEZE® adjustment of top section.



SPECIFICATION:

JOSAM 55000 SERIES COATED CAST IRON KLEENATRON® II
LEVELEZE® FLOOR CLEANOUT, INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH SPECIAL-DUTY
SCORIATED SECURED ROUND CAST IRON COVER.


CLEANOUT

ROUND CAST IRON TOP

SERIES

55000

FLANGE STANDARD ON 4" -X AND 6" SIZES.



PIPE SIZE	A	B	C	D	X	Y
2" *	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
3" *	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
4" *	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
4" -X **	7-1/2	4-1/4	9-3/16	7	2-5/8	4-5/16
5" -Z **	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
6" -Z **	7-1/2	4-1/4	9-3/16	7	2-5/8	4-5/16

* PLUG SIZE = 3-1/2" NPT
** PLUG SIZE = 5-1/2" NPT

Δ -3	BUFF POLISH NIKALOY
Δ -1	SATIN FINISH NIKALOY TOP
Δ -1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY
Δ -1-13	TERRAZZO TILE COVER, SATIN FINISH NIKALOY
Δ -1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP
Δ -1-SQ	SQUARE TOP, SATIN FINISH NIKALOY
Δ -2	SATIN FINISH BRONZE TOP
Δ -2-12	COVER RECESSED FOR TILE, SATIN FINISH BRONZE
Δ -2-13	TERRAZZO TILE COVER, SATIN FINISH BRONZE
Δ -2-SD	SPECIAL-DUTY SATIN FINISH BRONZE TOP
Δ -2-SQ	SQUARE TOP, SATIN FINISH BRONZE TOP
Δ -5	DUCTILE IRON TOP
Δ -14	CARPET CLEANOUT MARKER

-4	BUFF POLISH BRASS
-22	BRONZE PLUG
-31	GALVANIZED CAST IRON PARTS
-41	CLAMP RING AND FLANGE
-CFC	CARPET CLEANOUT FLANGE COVER
-F	FLANGE ONLY
-SS	STAINLESS STEEL TOP
-SS-SD	SPECIAL DUTY STAINLESS STEEL TOP (N/A 4"X AND 6")
-SS-SQ	SQUARE TOP, STAINLESS STEEL
-VP	SECURED COVER, VANDAL-PROOF SCREWS
-X	INSIDE CAULK OUTLET
-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
-Z	NO-HUB OUTLET

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

DATE OF LAST CHANGE: 10/28/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 55000-1 SERIES COATED CAST IRON KLEENATRON II LEVELEZE
FLOOR CLEANOUT, INTERNAL ABS CLEANOUT PLUG, ADJUSTABLE
CAST IRON HOUSING WITH MEDIUM-DUTY SCORIATED SECURED
ROUND SATIN NIKALOY COVER.

CLEANOUT

ROUND NIKALOY TOP

SERIES

55000-1



FLANGE IS STANDARD
ON 4"-X AND 6" SIZES

PIPE SIZE	A	B	C	D	X	Y
2	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
3	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
4	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
4-X	6-5/8	4-1/4	9-3/16	7	2	3-11/16
5-Z	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
6-Z	6-5/8	4-1/4	9-3/16	7	2	3-11/16

X	-1 NIKALOY TOP	-F FLANGE ONLY
-14	CARPET CLEANOUT MARKER	-WF WIDE FLANGE
-VP	SECURED COVER, VANDAL-PROOF SCREWS	-CFC CARPET CLEANOUT FLANGE COVER
-22	TAPER THREAD BRONZE PLUG	-X INSIDE CAULK OUTLET
-31	GALVANIZED CAST IRON PARTS	-Y HUB OUTLET W/ GASKET (2", 3" & 4" SIZES ONLY)
-41	CLAMP RING AND FLANGE	-Z NO-HUB OUTLET

DATE OF LAST CHANGE: 9/03/2014

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

⚠ WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:



JOSAM 55000-1-SD SERIES COATED CAST IRON KLEENATRON® II
LEVELZE® FLOOR CLEANOUT, INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH SPECIAL-DUTY
SCORRIATED SECURED ROUND LAMINATED SATIN NIKALOY COVER.

CLEANOUT

ROUND NIKALOY LAMINATE TOP

SERIES **55000-1-SD**

FLANGE STANDARD ON 4" -X AND 6" SIZES.



	PIPE SIZE	A	B	C	D	X	Y
	2"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
	3"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
	4"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
	4"-X	8-3/16	4-1/4	9-3/16	7	2-7/8	4-9/16
	5"-Z	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
	6"-Z	8-3/16	4-1/4	9-3/16	7	2-7/8	4-9/16

X	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP	-F	FLANGE ONLY
	-14	CARPET CLEANOUT MARKER	-WF	WIDE FLANGE
	-VP	SECURED COVER, VANDAL-PROOF SCREWS	-CFC	CARPET CLEANOUT FLANGE COVER
	-22	TAPER THREAD BRONZE PLUG	-X	INSIDE CAULK OUTLET
	-31	GALVANIZED CAST IRON PARTS	-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
	-41	CLAMP RING AND FLANGE	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 05/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS' TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:



JOSAM 55000-1-SQ SERIES COATED CAST IRON KLEENATRON® II
LEVELZE® FLOOR CLEANOUT, INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH MEDIUM-DUTY SCORRIATED
SECURED SQUARE SATIN NIKALOY COVER.

CLEANOUT

SQUARE NIKALOY TOP

SERIES **55000-1-SQ**

FLANGE STANDARD ON 4" -X AND 6" SIZES



	PIPE SIZE	A	B	C	D	X	Y
	2"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	3"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"-X	7	4-1/4	9-3/16	7	2	3-11/16
	5"-Z	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	6"-Z	7	4-1/4	9-3/16	7	2	3-11/16

X	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY	-F	FLANGE ONLY
	-14	CARPET CLEANOUT MARKER	-WF	WIDE FLANGE
	-VP	SECURED COVER, VANDAL-PROOF SCREWS	-CFC	CARPET CLEANOUT FLANGE COVER
	-22	TAPER THREAD BRONZE PLUG	-X	INSIDE CAULK OUTLET
	-31	GALVANIZED CAST IRON PARTS	-Y	HUB OUTLET W/GASKET (2", 3", 4" SIZES ONLY)
	-41	CLAMP RING AND FLANGE	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS' TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 55000-1-12 SERIES COATED CAST IRON KLEENATRON® II
LEVEZE® FLOOR CLEANOUT. INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH MEDIUM-DUTY SCORIATED
SECURED ROUND SATIN NIKALOY COVER RECESSED FOR TILE.

CLEANOUT

ROUND NIKALOY TOP,
RECESSED FOR TILE

SERIES **55000-1-12**

FLANGE STANDARD ON 4" -X AND 6" SIZES.



	PIPE SIZE	A	B	C	D	X	Y
	2"	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	3"	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"-X	6-5/8	4-1/4	9-3/16	7	2	3-11/16
	5"-Z	5-1/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	6"-Z	6-5/8	4-1/4	9-3/16	7	2	3-11/16

X	-1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY	-F	FLANGE ONLY
	-14	CARPET CLEANOUT MARKER	-WF	WIDE FLANGE
	-VP	SECURED COVER, VANDAL-PROOF SCREWS	-CFC	CARPET CLEANOUT FLANGE COVER
	-22	TAPER THREAD BRONZE PLUG	-X	INSIDE CAULK OUTLET
	-31	GALVANIZED CAST IRON PARTS	-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
	-41	CLAMP RING AND FLANGE	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/18/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 55000-1-12-SQ SERIES COATED CAST IRON KLEENATRON® II
LEVEZE® FLOOR CLEANOUT. INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH MEDIUM-DUTY SCORIATED
SECURED SQUARE SATIN NIKALOY COVER RECESSED FOR TILE.

CLEANOUT

SQUARE NIKALOY TOP, RECESSED FOR TILE

SERIES **55000-1-12-SQ**



	PIPE SIZE	A	B	C	D	X	Y
	2"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	3"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	4"-X	7	4-1/4	9-3/16	7	2	3-11/16
	5"-Z	5-3/8	3-3/4	7-1/2	5-9/16	2-1/8	3-5/8
	6"-Z	7	4-1/4	9-3/16	7	2	3-11/16

-SQ	SQUARE TOP
-1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY
-14	CARPET CLEANOUT MARKER
-VP	SECURED COVER, VANDAL-PROOF SCREWS
-22	TAPER THREAD BRONZE PLUG
-31	GALVANIZED CAST IRON PARTS
-41	CLAMP RING AND FLANGE

-F	FLANGE ONLY
-WF	WIDE FLANGE
-CFC	CARPET CLEANOUT FLANGE COVER
-X	INSIDE CAULK OUTLET
-Y	HUB OUTLET W/ GASKET (2", 3" & 4" SIZE ONLY)
-Z	NO-HUB OUTLET

Date: 06/28/08

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES:

WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:


JOSAM 55000-1-13 SERIES COATED CAST IRON KLEENATRON® II LEVELZE® FLOOR CLEANOUT. INTERNAL ABS CLEANOUT PLUG, ADJUSTABLE CAST IRON HOUSING WITH MEDIUM-DUTY SCORRIATED SECURED ROUND SATIN NIKALOY COVER RECESSED FOR TERRAZZO FLOORING.

CLEANOUT

ROUND TERRAZZO TOP

SERIES **55000-1-13**

FLANGE STANDARD ON 4" -X AND 6" SIZES.



PIPE SIZE	A	B	C	D	X	Y
2"	5-1/4	3-3/4	7-1/2	5-9/16	2-7/8	4-3/8
3"	5-1/4	3-3/4	7-1/2	5-9/16	2-7/8	4-3/8
4"	5-1/4	3-3/4	7-1/2	5-9/16	2-7/8	4-3/8
4" -X	6-5/8	4-1/4	9-3/16	7	2-3/4	4-7/16
5" -Z	5-1/4	3-3/4	7-1/2	5-9/16	2-7/8	4-3/8
6" -Z	6-5/8	4-1/4	9-3/16	7	2-3/4	4-7/16

X	-1-13	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY	-F	FLANGE ONLY
	-14	CARPET CLEANOUT MARKER	-CFC	CARPET CLEANOUT FLANGE COVER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS	-X	INSIDE CAULK OUTLET
	-22	TAPER THREAD BRONZE PLUG	-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
	-31	GALVANIZED CAST IRON PARTS		
	-41	CLAMP RING AND FLANGE	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 55000-2-SD SERIES COATED CAST IRON KLEENATRON® II LEVELZE® FLOOR CLEANOUT. INTERNAL ABS CLEANOUT PLUG, ADJUSTABLE CAST IRON HOUSING WITH SPECIAL-DUTY SCORRIATED SECURED ROUND LAMINATED SATIN BRONZE COVER.

CLEANOUT

ROUND BRONZE LAMINATE TOP

SERIES **55000-2-SD**

FLANGE STANDARD ON 4" -X AND 6" SIZES.



PIPE SIZE	A	B	C	D	X	Y
2"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
3"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
4"	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
4" -X	8-3/16	4-1/4	9-3/16	7	2-7/8	4-9/16
5" -Z	6-9/16	3-3/4	7-1/2	5-9/16	3	4-1/2
6" -Z	8-3/16	4-1/4	9-3/16	7	2-7/8	4-9/16

X	-2-SD	SPECIAL-DUTY SATIN FINISH BRONZE TOP	-F	FLANGE ONLY
	-14	CARPET CLEANOUT MARKER	-WF	WIDE FLANGE
	-VP	SECURED COVER, VANDAL-PROOF SCREWS	-CFC	CARPET CLEANOUT FLANGE COVER
	-22	TAPER THREAD BRONZE PLUG	-X	INSIDE CAULK OUTLET
	-31	GALVANIZED CAST IRON PARTS	-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
	-41	CLAMP RING AND FLANGE	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 55000-5 SERIES COATED CAST IRON KLEENATRON® II
LEVELEZE® FLOOR CLEANOUT. INTERNAL ABS CLEANOUT PLUG,
ADJUSTABLE CAST IRON HOUSING WITH SPECIAL-DUTY
SCORIATED SECURED ROUND DUCTILE IRON COVER.

CLEANOUT

ROUND DUCTILE IRON TOP

SERIES **55000-5**

FLANGE STANDARD ON 4" -X AND 6" SIZES.



	PIPE SIZE	A	B	C	D	X	Y
	2"	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
	3"	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
	4"	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
	4" -X	7-1/2	4-1/4	9-3/16	7	2-5/8	4-5/16
	5" -Z	6	3-3/4	7-1/2	5-9/16	2-3/4	4-1/4
	6" -Z	7-1/2	4-1/4	9-3/16	7	2-5/8	4-5/16

X	-5	DUCTILE IRON TOP
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-41	CLAMP RING AND FLANGE

	-F	FLANGE ONLY
	-CFC	CARPET CLEANOUT FLANGE COVER
	-X	INSIDE CAULK OUTLET
	-Y	HUB OUTLET W/GASKET (2", 3", & 4" SIZES ONLY)
	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:

JOSAM 56670 SERIES ROUND CAST NIKALOY FLOOR CLEANOUT,
BOTTOM OUTLET INSIDE CAULK CONNECTION AND THREADED SATIN
SCORIATED ROUND COVER WITH SPANNER WRENCH SOCKETS.

CLEANOUT



SPANNER TYPE FLOOR CLEANOUT

SERIES **56670**

FORMERLY 58670 SERIES



THREADED SCORIATED
COVER WITH SPANNER
WRENCH SOCKETS



SECTION A-A

	PIPE SIZE	B	C	E
	2"	4-1/16	5-3/8	3-1/4
	3"	6-1/4	7-3/8	3-1/4
	4"	6-1/4	7-3/8	3-1/4
	5"	8-3/16	9-3/8	3-1/2
	6"	8-3/16	9-3/8	3-1/2

	-2	SATIN FINISH BRONZE TOP
	-11	SMOOTH TOP
	-14	CARPET CLEANOUT MARKER
	-24	SPANNER WRENCH

DATE OF LAST CHANGE: 11/14/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:
JOSAM 57008-Z-CI SERIES COATED CAST IRON LEVELEZE® KLEENATRON® FLOOR CLEANOUT, INTERNAL GASKETED ABS CLEANOUT PLUG, NO-HUB CONNECTION AND ADJUSTABLE ABS HOUSING WITH SPECIAL-DUTY SCORIATED SECURED ROUND CAST IRON TOP.

CLEANOUT
LEVELEZE® KLEENATRON®

SERIES **57008-Z-CI**

FORMERLY 56070 SERIES

1-3/4" MIN
3-1/4" MAX

SECURED RIM AND SCORIATED COVER

THUMBSCREWS (3)

NO-HUB CONNECTION

6" GASKETED ABS CLEANOUT PLUG

5"

Ø 9-3/4"

Ø 8"

Δ	-1	SATIN FINISH NIKALOY TOP
Δ	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP
Δ	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY
Δ	-1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY
	-2	SATIN FINISH BRONZE TOP
	-2-SD	SPECIAL-DUTY SATIN FINISH BRONZE TOP
	-2-SQ	SQUARE TOP, SATIN FINISH BRONZE
	-2-12	COVER RECESSED FOR TILE, SATIN FINISH BRONZE
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE (N/A ON CI)
	-CFC	CARPET CLEANOUT FLANGE COVER
X	-CI	CAST IRON TOP
X	-Z	NO-HUB OUTLET

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

DATE OF LAST CHANGE: 4/7/14
DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:
JOSAM 57008-Z-1 SERIES COATED CAST IRON KLEENATRON® LEVELEZE® FLOOR CLEANOUT, INTERNAL GASKETED ABS CLEANOUT PLUG, NO-HUB CONNECTION AND ADJUSTABLE ABS HOUSING WITH MEDIUM-DUTY SCORIATED SECURED ROUND SATIN NIKALOY TOP.

CLEANOUT
LEVELEZE® KLEENATRON®
NO-HUB OUTLET

SERIES **57008-Z-1**

FORMERLY 56010 SERIES

1-1/4" MIN
2-3/4" MAX

SECURED RIM AND SCORIATED COVER

THUMBSCREWS (3)

NO-HUB CONNECTION

6" GASKETED ABS CLEANOUT PLUG

5"

Ø 8-15/16"

Ø 8"

X	-1	SATIN FINISH NIKALOY TOP
Δ	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP Δ
Δ	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY Δ
Δ	-1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY Δ
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE
	-CFC	CARPET CLEANOUT FLANGE COVER
X	-Z	NO-HUB OUTLET

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

DATE OF LAST CHANGE: 4/7/14
DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 57008-Z-1-SD SERIES COATED CAST IRON KLEENATRON®
LEVEZE® FLOOR CLEANOUT. INTERNAL GASKETED ABS CLEANOUT
PLUG. NO-HUB CONNECTION AND ADJUSTABLE ABS HOUSING WITH
SPECIAL-DUTY SCORIATED SECURED ROUND LAMINATED SATIN
NIKALOY TOP.

CLEANOUT
LEVEZE® KLEENATRON®

 SERIES **57008-Z-1-SD**

FORMERLY 56070-1 SERIES



X	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE
	-CFC	CARPET CLEANOUT FLANGE COVER
X	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 4/4/14

 DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
 MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 57008-Z-1-SQ SERIES COATED CAST IRON KLEENATRON®
LEVEZE® FLOOR CLEANOUT. INTERNAL GASKETED ABS CLEANOUT
PLUG. NO-HUB CONNECTION AND ADJUSTABLE ABS HOUSING WITH
MEDIUM-DUTY SCORIATED SECURED SQUARE SATIN NIKALOY TOP.

CLEANOUT
LEVEZE® KLEENATRON®
SQUARE TOP

 SERIES **57008-Z-1-SQ**

FORMERLY 56030 SERIES



X	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE
	-CFC	CARPET CLEANOUT FLANGE COVER
X	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 04/01/14

 DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
 MICHIGAN CITY, INDIANA

NOTES

⚠ WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov


SPECIFICATION:

JOSAM 57008-Z-1-12 SERIES COATED CAST IRON KLEENATRON®
LEVELEZE® FLOOR CLEANOUT, INTERNAL GASKETED ABS CLEANOUT
PLUG, NO-HUB CONNECTION AND ADJUSTABLE ABS HOUSING WITH
MEDIUM-DUTY SCORIATED SECURED ROUND SATIN NIKALOY TOP
RECESSED FOR TILE.

CLEANOUT
LEVELEZE® KLEENATRON®

SERIES **57008-Z-1-12**

FORMERLY 56010-12 SERIES



X	-1-12	COVER RECESSED FOR TILE, SATIN FINISH NIKALOY TOP
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE
	-CFC	CARPET CLEANOUT FLANGE COVER
X	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 4/4/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 57008-Z-LT SERIES COATED CAST IRON CLEANOUT FERRULE
WITH NO-HUB CONNECTION AND GASKETED ABS CLEANOUT PLUG.

CLEANOUT
LEVELEZE® KLEENATRON®

SERIES **57008-Z-LT**

FORMERLY 58190 SERIES



X	-LT	LESS TOP
	-22	TAPER THREAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS
	-WF	WIDE FLANGE
X	-Z	NO-HUB OUTLET

DATE OF LAST CHANGE: 4/4/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA

JOSAM COMPANY
MICHIGAN CITY, INDIANA


NOTES

SPECIFICATION:

JOSAM 58360 SERIES COATED CAST IRON FERRULE AND ADJUSTABLE CAST NIKALOY FLOOR CLEANOUT, INTEGRAL BRONZE COUNTERSUNK PLUG AND SOLID SCORIATED SECURED ROUND COVER.

CLEANOUT ADJUSTABLE FLOOR CLEANOUT

SERIES **58360**



PIPE SIZE	A	B	C	D
2"-Z	2	1-1/2	4	4-1/2
3"-Z	2	1-1/2	4	3-1/8
4"-Z	3	2-3/4	5	3-3/8
5"-Z	3	2-3/4	5	4-1/4
6"-Z	3	2-3/4	5	4-1/4

PIPE SIZE	A	B	C	D
2"-Y	2	1-1/2	4	3-1/8
3"-Y	3	2-3/4	5	3-3/8
4"-Y	3	2-3/4	5	4-1/4

GASKET ON -Y CONNECTION
CONFORMS WITH ASTM-C564

-2	SATIN FINISH BRONZE TOP
-14	CARPET CLEANOUT MARKER
-31	GALVANIZED CAST IRON PARTS
-VP	SECURED COVER, VANDAL-PROOF SCREWS
-Y	HUB OUTLET W/GASKET (2"-4" SIZES) ONLY
-Z	NO-HUB SPIGOT OUTLET

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA


NOTES

SPECIFICATION:

JOSAM 58460A SERIES COATED CAST IRON FLOOR CLEANOUT, INTERNAL BRONZE COUNTERSUNK PLUG, INSIDE CAULK OUTLET AND SCORIATED ROUND TOP.

CLEANOUT FLOOR CLEANOUT

SERIES **58460A**



*ADD 1/4" WHEN FURNISHED WITH NIKALOY OR BRONZE TOP

Δ	-AE	ADJUSTABLE EXTENSION
	-1	SATIN FINISH NIKALOY TOP
	-2	SATIN FINISH BRONZE TOP
	-6	SQUARE TOP, CAST IRON
	-6-1	SQUARE TOP, NIKALOY
	-6-2	SQUARE TOP, BRONZE
	-12	TOP RECESSED FOR TILE
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 58460A-AE SERIES COATED CAST IRON LEVEZE® FLOOR CLEANOUT, ADJUSTABLE COLLAR WITH ROLLED THREAD AND INTERNAL BRONZE COUNTERSUNK PLUG, INSIDE CAULK OUTLET CONNECTION, SATIN NIKALOY RIM AND SCORIATED ROUND NIKALOY COVER.

CLEANOUT

WITH LEVEZE®
ADJUSTABLE EXTENSION

SERIES **58460A-AE**

FORMERLY 58370A SERIES



PIPE SIZE	D
2"	3
3"	4
4"	5

*THIS DIM 9" SQ. ON (-6) SQUARE TOP

X	-AE	ADJUSTABLE EXTENSION
	-1	SATIN FINISH NIKALOY TOP
	-2	SATIN FINISH BRONZE TOP
	-6	SQUARE TOP, CAST IRON
	-6-1	SQUARE TOP, NIKALOY
	-6-2	SQUARE TOP, BRONZE
	-12	TOP RECESSED FOR TILE
	-14	CARPET CLEANOUT MARKER
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:



JOSAM 58540 SERIES COUNTERSINK BRONZE N.P.T. THREADED PLUG FOR USE IN CONJUNCTION WITH JOSAM CLEANOUTS OR STANDARD PIPE FITTINGS.

CLEANOUT

THREADED BRONZE PLUG

SERIES **58540**

PIPE SIZE	B	C
1"	1/2	3/8
1-1/4"	1/2	3/8
1-1/2"	1/2	3/8
2"	5/8	3/8
2-1/2"	7/8	3/8
3"	1/2	3/8
3-1/2"	1/2	3/8
4"	1/2	3/8
5"	5/8	1/2
6"	1/2	1/2
8"	3/4	1/2



PIPE SIZE	B	C
1"	3/8	5/16
1-1/4"	3/8	5/16
1-1/2"	3/8	5/16
2"	3/8	5/16
2-1/2"	3/8	3/8
3"	1/2	3/8
3-1/2"	1/2	3/8
4"	1/2	3/8
5"	1/2	3/8
5-1/2"	5/8	3/8
6"	1	1
8"	1	1
10"	1	1-1/8

|| -19 || PLUG TAPPED FOR CENTER SCREW || -20 || RAISED HEAD FOR BRONZE PLUG ||

*10" SIZE AVAILABLE IN RAISED HEAD BRONZE PLUG ONLY

DATE OF LAST CHANGE: 05/04/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 58580 SERIES ABS FLOOR ACCESS HOUSING WITH SPECIAL-DUTY SCORIATED SECURED ROUND CAST IRON TOP AND LEVELOC® SCREWS

**CLEANOUT
ACCESS HOUSING & COVER**

 SERIES **58580**

FORMERLY 56060-88 SERIES



Δ	-1	SATIN FINISH NIKALOY TOP
Δ	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP
Δ	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY
	-2	SATIN FINISH BRONZE TOP
	-2-SD	SPECIAL-DUTY SATIN FINISH BRONZE TOP
	-2-SQ	SQUARE TOP, SATIN FINISH BRONZE
	-5	DUCTILE IRON TOP

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

	PIPE SIZE	A	*B	C	D
	2"	6	3-3/16	3-7/8	2-9/16
	3"	7-5/8	5-3/16	3-7/8	2-9/16
	4"	7-5/8	5-3/16	3-7/8	2-9/16
	5"	9-3/4	7-3/8	3-7/8	2-9/16
	6"	9-3/4	7-3/8	3-7/8	2-9/16

* MAXIMUM SPACE AVAILABLE FOR PIPE FITTING ENCLOSURE ETC.

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 58580-1 SERIES ABS FLOOR ACCESS HOUSING WITH SCORIATED SECURED ROUND SATIN NIKALOY TOP AND LEVELOC® SCREWS

**CLEANOUT
ACCESS HOUSING & COVER**

 SERIES **58580-1**

FORMERLY 56000-88 SERIES



X	-1	SATIN FINISH NIKALOY TOP
Δ	-1-SD	SPECIAL-DUTY SATIN FINISH NIKALOY TOP
Δ	-1-SQ	SQUARE TOP, SATIN FINISH NIKALOY

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

	PIPE SIZE	A	B	C	D	*E
	2"	5-1/8	3-9/16	3-1/4	2-9/16	4
	3"	6-3/4	5-3/16	3-1/4	2-9/16	5-3/4
	4"	6-3/4	5-3/16	3-1/4	2-9/16	5-3/4
	5"	8-15/16	7-3/8	3-1/4	2-9/16	7-15/16
	6"	8-15/16	7-3/8	3-1/4	2-9/16	7-15/16

* MAXIMUM SPACE AVAILABLE FOR PIPE FITTING ENCLOSURE ETC.

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov


SPECIFICATION:

JOSAM 58580-1-SD SERIES ABS FLOOR ACCESS HOUSING WITH SPECIAL-DUTY SCORRIATED SECURED ROUND LAMINATED SATIN NIKALOY TOP AND LEVELOC® SCREWS

**CLEANOUT
ACCESS HOUSING & COVER**

SERIES **58580-1-SD**

FORMERLY 56060-88-1 SERIES



X	-1	SATIN FINISH NIKALOY TOP
X	-SD	SPECIAL-DUTY TOP, NIKALOY

PIPE SIZE	A	*B	C	D
2"	6	3-3/16	4-1/8	2-9/16
3"	7-5/8	5-3/16	4-1/8	2-9/16
4"	7-5/8	5-3/16	4-1/8	2-9/16
5"	9-3/4	7-3/8	4-1/8	2-9/16
6"	9-3/4	7-3/8	4-1/8	2-9/16

* MAXIMUM SPACE AVAILABLE FOR PIPE FITTING ENCLOSURE ETC.

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 58580-1-SQ SERIES ABS FLOOR ACCESS HOUSING WITH MEDIUM-DUTY SCORRIATED SECURED SQUARE SATIN NIKALOY TOP AND LEVELOC® SCREWS

**CLEANOUT
ACCESS HOUSING & COVER**

SERIES **58580-1-SQ**

FORMERLY 56020-88 SERIES



X	-1	SATIN FINISH NIKALOY TOP
X	-SQ	SQUARE TOP

PIPE SIZE	A	B	C	D	*E
2"	5-3/8	3-9/16	3-1/4	2-9/16	4
3"	7	5-3/16	3-1/4	2-9/16	5-3/4
4"	7	5-3/16	3-1/4	2-9/16	5-3/4
5"	9-1/4	7-3/8	3-1/4	2-9/16	7-15/16
6"	9-1/4	7-3/8	3-1/4	2-9/16	7-15/16

* MAXIMUM SPACE AVAILABLE FOR PIPE FITTING ENCLOSURE ETC.

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA




NOTES

SPECIFICATION:

JOSAM 58600 SERIES ROUND 304 STAINLESS STEEL WALL ACCESS COVER WITH SCREW.

**CLEANOUT
WALL ACCESS COVER**

SERIES **58600**



	MODEL	B
<input type="checkbox"/>	58604	5-3/8
<input type="checkbox"/>	58606	8
<input type="checkbox"/>	58608	10

OPTIONS:

▼ SEPARATE SUBMITTAL AVAILABLE

<input type="checkbox"/> -VP	SECURED COVER, VP SCREWS	<input type="checkbox"/> -CO2 ▼	NO-HUB CLEANOUT, 2"
<input type="checkbox"/> -17	CENTER SCREW LONGER (SPECIFY LENGTH)	<input type="checkbox"/> -CO3 ▼	NO-HUB CLEANOUT, 3"
<input type="checkbox"/> -PLG1-1/2 ▼	BRONZE NPT PLUG, 1-1/2"	<input type="checkbox"/> -CO4 ▼	NO-HUB CLEANOUT, 4"
<input type="checkbox"/> -PLG2 ▼	BRONZE NPT PLUG, 2"	<input type="checkbox"/> -CO6 ▼	NO-HUB CLEANOUT, 6"
<input type="checkbox"/> -PLG2-1/2 ▼	BRONZE NPT PLUG, 2-1/2"	<input type="checkbox"/> -31	GALV. CAST IRON PARTS (SPEC. -CO OR -COT)
<input type="checkbox"/> -PLG3 ▼	BRONZE NPT PLUG, 3"	<input type="checkbox"/> -COT2 ▼	NO-HUB CLEANOUT TEE, 2"
<input type="checkbox"/> -PLG3-1/2 ▼	BRONZE NPT PLUG, 3-1/2"	<input type="checkbox"/> -COT3 ▼	NO-HUB CLEANOUT TEE, 3"
<input type="checkbox"/> -PLG4 ▼	BRONZE NPT PLUG, 4"	<input type="checkbox"/> -COT4 ▼	NO-HUB CLEANOUT TEE, 4"
<input type="checkbox"/> -PLG5 ▼	BRONZE NPT PLUG, 5"	<input type="checkbox"/> -COT6 ▼	NO-HUB CLEANOUT TEE, 6"
<input type="checkbox"/> -PLG6 ▼	BRONZE NPT PLUG, 6"		
<input type="checkbox"/> -20	RAISED HEAD PLUG (SPECIFY -PLG#)		

DATE OF LAST CHANGE: 01/21/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 58600-CO SERIES ROUND STAINLESS STEEL WALL ACCESS COVER WITH SCREW AND NO-HUB CLEANOUT.

**CLEANOUT
WALL ACCESS COVER W/ CLEANOUT**

SERIES **58600-CO**

FORMERLY 58710 SERIES



TYPE NO.	PIPE SIZE	B	C
58604-CO2	2"	1-1/2	5-3/8
58604-CO3	3"	2-1/2	5-3/8
58604-CO4	4"	3-1/2	5-3/8
58606-CO6	6"	5-1/2	8



- VP SECURED COVER, VANDAL-PROOF SCREWS
- CO NO-HUB CLEANOUT (SPECIFY PIPE SIZE)
- 17 CENTER SCREW LONGER THAN STANDARD
- 20 RAISED HEAD BRONZE PLUG
- 31 GALVANIZED CAST IRON PARTS

DRAWING No. 08/01/13

A-14490-K

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES:



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:


JOSAM 58600-COT SERIES ROUND STAINLESS STEEL WALL ACCESS COVER WITH SCREW AND NO-HUB CLEANOUT TEE.

CLEANOUT

WALL ACCESS COVER WITH CLEANOUT TEE

SERIES **58600-COT**

FORMERLY 58790 SERIES



PIPE SIZE	B	C	D	E	F
2"	3-3/16"	2	6-3/8	2	5-3/8
3"	3-7/8"	2-11/16	7-3/4	3	5-3/8
4"	4-7/16"	3	8-7/8	4	5-3/8
6"	6-1/4"	5	12-1/2	6	7-5/8

	-VP	SECURED COVER, VANDAL-PROOF SCREWS
X	-COT	NO-HUB CLEANOUT TEE
	-17	CENTER SCREW LONGER THAN STANDARD
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 58600-PLG SERIES ROUND STAINLESS STEEL WALL ACCESS COVER WITH SCREW AND THREADED NPT BRONZE PLUG.

CLEANOUT

WALL ACCESS COVER W/ PLUG

SERIES **58600-PLG**

FORMERLY 58890 SERIES



TYPE NO.	PIPE SIZE	B
58604-PLG1-1/2	1-1/2	5-3/8
58604-PLG2	2	5-3/8
58604-PLG2-1/2	2-1/2	5-3/8
58604-PLG3	3	5-3/8
58604-PLG3-1/2	3-1/2	5-3/8
58606-PLG4	4	8
58606-PLG5	5	8
58606-PLG6	6	8

	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-PLG	BRONZE NPT PLUG (SPECIFY PLUG SIZE)
	-17	CENTER SCREW LONGER THAN STANDARD
	-20	RAISED HEAD BRONZE PLUG

DRAWING No. 08/01/13

A-07781-K

JOSAM COMPANY
MICHIGAN CITY, INDIANA


NOTES:

SPECIFICATION:

JOSAM 58610 SERIES ROUND CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS AND SATIN SMOOTH SECURED COVER.

CLEANOUT
WALL OF FLOOR ACCESS
COVER

SERIES **58610**



Δ	-2	SATIN FINISH BRONZE
Δ	-10	SCORIATED COVER
Δ	-14	CARPET CLEANOUT MARKER
Δ	-VP	SECURED COVER, VANDAL-PROOF SCREWS
Δ	-CO2	NO-HUB CLEANOUT, 2"
Δ	-CO3	NO HUB CLEANOUT, 3"
Δ	-CO4	NO-HUB CLEANOUT, 4"
Δ	-CO6	NO-HUB CLEANOUT, 6"
*	-20	RAISED HEAD BRONZE PLUG
*	-31	GALVANIZED CAST IRON PARTS
Δ	-COT2	NO-HUB CLEANOUT TEE, 2"
Δ	-COT3	NO-HUB CLEANOUT TEE, 3"
Δ	-COT4	NO-HUB CLEANOUT TEE, 4"
Δ	-COT6	NO-HUB CLEANOUT TEE, 6"

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

*SPECIFY -CO OR -COT

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 58610-CO SERIES ROUND CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS AND SATIN SMOOTH SECURED COVER AND NO-HUB CLEANOUT.

CLEANOUT

WALL OR FLOOR ACCESS COVER
WITH CLEANOUT

SERIES **58610-CO**

FORMERLY 58700 SERIES



TYPE NO.	PIPE SIZE	B	C	E	F
58614-CO2	2"	1-1/2	4-5/8	6	5-1/2
58614-CO3	3"	2-1/2	4-5/8	6	5-1/2
58614-CO4	4"	3-1/2	4-5/8	6	5-1/2
58616-CO5	6"	5-1/2	6-3/4	8-1/4	7-3/4

X	-CO	NO-HUB CLEANOUT (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-10	SCORIATED COVER
	-14	CARPET CLEANOUT MARKER
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:


JOSAM 58610-COT SERIES ROUND CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS AND SATIN SMOOTH SECURED COVER AND NO-HUB CLEANOUT TEE.

CLEANOUT

WALL OR FLOOR ACCESS COVER WITH CLEANOUT TEE

SERIES **58610-COT**

FORMERLY 58750 SERIES



TYPE NO.	PIPE SIZE	B	C	D	E	F
58614-COT2	2"	3-3/16"	2	6-3/8	2	6
58614-COT3	3"	3-7/8"	2-11/16	7-3/4	3	6
58614-COT4	4"	4-7/16"	3	8-7/8	4	6
58616-COT6	6"	6-1/4"	5	12-1/2	6	8-1/4

X	-COT	NO-HUB CLEANOUT TEE (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-10	SCORiated COVER
	-14	CARPET CLEANOUT MARKER
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



SPECIFICATION:

JOSAM 58620 SERIES ROUND CAST NIKALOY ACCESS FRAME AND ANCHOR FLANGE AND SATIN SMOOTH HINGED COVER.

CLEANOUT

WALL OF FLOOR ACCESS COVER

SERIES **58620**



PIPE SIZE	B	C	D	E
2", 3" & 4"	5-3/8	6-5/8	6-1/4	3/4
5" & 6"	6-7/8	8-3/8	8	1

-VP	SECURED COVER, VANDAL-PROOF SCREWS
-2	SATIN FINISH BRONZE
-10	SCORiated COVER
-14	CARPET CLEANOUT MARKER
-20*	RAISED HEAD BRONZE PLUG
-31*	GALVANIZED CAST IRON PARTS
-CO2	NO-HUB CLEANOUT, 2"
-CO3	NO HUB CLEANOUT, 3"
-CO4	NO-HUB CLEANOUT, 4"
-CO6	NO-HUB CLEANOUT, 6"
-COT2	NO-HUB CLEANOUT TEE, 2"
-COT3	NO-HUB CLEANOUT TEE, 3"
-COT4	NO-HUB CLEANOUT TEE, 4"
-COT6	NO-HUB CLEANOUT TEE, 6"

*SPECIFY -CO OR -COT

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA


NOTES

SPECIFICATION:

JOSAM 58630 SERIES SQUARE CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS AND SATIN SCORIATED SECURED HINGED COVER.

CLEANOUT
WALL OF FLOOR ACCESS COVER

SERIES **58630**



	TYPE	AxA	BxB	C
	58631	8x8	6x6	5-1/2x5-1/2
	58632	12x12	10x10	9-1/2x9-1/2

	-2	SATIN FINISH BRONZE
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
Δ	-CO2	NO-HUB CLEANOUT, 2"
Δ	-CO3	NO-HUB CLEANOUT, 3"
Δ	-CO4	NO-HUB CLEANOUT, 4"
Δ	-CO6	NO-HUB CLEANOUT, 6"
*	-20	RAISED HEAD BRONZE PLUG
*	-31	GALVANIZED CAST IRON PARTS
Δ	-COT2	NO-HUB CLEANOUT TEE, 2"
Δ	-COT3	NO-HUB CLEANOUT TEE, 3"
Δ	-COT4	NO-HUB CLEANOUT TEE, 4"
Δ	-COT6	NO-HUB CLEANOUT TEE, 6"

Δ SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE *SPECIFY -CO OR -COT

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:




JOSAM 58630-CO SERIES CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS, SATIN SCORIATED SECURED HINGED COVER AND NO-HUB CLEANOUT.

CLEANOUT

WALL OR FLOOR ACCESS COVER WITH CLEANOUT

SERIES **58630-CO**

FORMERLY 58730 SERIES



	TYPE NO.	PIPE SIZE	B	C x C
	58631-CO2	2"	1-1/2	8 x 8
	58631-CO3	3"	2-1/2	8 x 8
	58631-CO4	4"	3-1/2	8 x 8
	58632-CO6	6"	5-1/2	12 x 12

X	-CO	NO-HUB CLEANOUT (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION:


JOSAM 58630-COT SERIES SQUARE CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS, SATIN SCORIATED SECURED HINGED COVER AND NO-HUB CLEANOUT TEE.

CLEANOUT

WALL OR FLOOR ACCESS COVER WITH CLEANOUT TEE

SERIES **58630-COT**

FORMERLY 58760 SERIES



TYPE NO.	PIPE SIZE	B	C	D	E	F x F
58631-COT2	2"	3-3/16"	2	6-3/8	2	8 x 8
58631-COT3	3"	3-7/8"	2-11/16	7-3/4	3	8 x 8
58631-COT4	4"	4-7/16"	3	8-7/8	4	8 x 8
58632-COT6	6"	6-1/4"	5	12-1/2	6	12 x 12

X	-COT	NO-HUB CLEANOUT TEE (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES


SPECIFICATION:

JOSAM 58640 SERIES SQUARE CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS AND SATIN SMOOTH SECURED COVER.

CLEANOUT

WALL OF FLOOR ACCESS COVER

SERIES **58640**



TYPE	Ax A	BxB	C
58642	7x7	6-1/2x6-1/2	6x6
58644	9x9	8-1/2x8-1/2	8x8
58646	10x10	9-1/2x9-1/2	9x9

-2	SATIN FINISH BRONZE
-10	SCORIATED COVER
-VP	SECURED COVER, VANDAL-PROOF SCREWS
-CO2	NO-HUB CLEANOUT, 2"
-CO3	NO HUB CLEANOUT, 3"
-CO4	NO-HUB CLEANOUT, 4"
-CO6	NO-HUB CLEANOUT, 6"
-20	RAISED HEAD BRONZE PLUG
-31	GALVANIZED CAST IRON PARTS
-COT2	NO-HUB CLEANOUT TEE, 2"
-COT3	NO-HUB CLEANOUT TEE, 3"
-COT4	NO-HUB CLEANOUT TEE, 4"
-COT6	NO-HUB CLEANOUT TEE, 6"

Δ A SEPARATE SUBMITTAL FOR THIS OPTION AVAILABLE

*SPECIFY -CO OR -COT

DATE OF LAST CHANGE: 4/7/14

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 58640-CO SERIES SQUARE CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS, SATIN SMOOTH SECURED COVER AND NO-HUB CLEANOUT.

CLEANOUT

WALL ACCESS COVER
WITH CLEANOUT

SERIES **58640-CO**

FORMERLY 58740 SERIES



TYPE NO.	PIPE SIZE	B	C x C
58642-CO2	2"	1-1/2"	7 x 7"
58642-CO3	3"	2-1/2"	7 x 7"
58642-CO4	4"	3-1/2"	7 x 7"
58644-CO6	6"	5-1/2"	9 x 9"

X	-CO	NO-HUB CLEANOUT (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-10	SCORATED COVER
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES

SPECIFICATION:


JOSAM 58640-COT SERIES SQUARE CAST NIKALOY ACCESS FRAME AND ANCHOR LUGS, SATIN SMOOTH SECURED COVER AND NO-HUB CLEANOUT TEE.

CLEANOUT

WALL ACCESS COVER
WITH CLEANOUT TEE

SERIES **58640-COT**

FORMERLY 58770 SERIES



TYPE NO.	PIPE SIZE	B	C	D	E	F x F
58642-COT2	2"	3-3/16"	1-3/4"	6-3/8"	2"	7 x 7"
58642-COT3	3"	3-7/8"	2-1/2"	7-3/4"	3"	7 x 7"
58642-COT4	4"	4-7/16"	3-1/2"	8-7/8"	4"	7 x 7"
58644-COT6	6"	6-1/4"	4-1/2"	12-1/2"	6"	9 x 9"

X	-COT	NO-HUB CLEANOUT TEE (SPECIFY PIPE SIZE)
	-VP	SECURED COVER, VANDAL-PROOF SCREWS
	-2	SATIN FINISH BRONZE
	-10	SCORATED COVER
	-20	RAISED HEAD BRONZE PLUG
	-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15




DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.




JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

SPECIFICATION: JOSAM 58666 SERIES SQUARE STAINLESS STEEL ACCESS FRAME, ANCHOR SLOTS AND HINGED SMOOTH SECURED COVER.	CLEANOUT WALL ACCESS COVER SERIES 58656																				
<div style="display: flex; justify-content: space-around; align-items: center;">   </div> <div style="text-align: center; margin-top: 20px;">  </div>																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">-20*</td><td>RAISED HEAD BRONZE PLUG</td></tr> <tr><td>-31*</td><td>GALVANIZED CAST IRON PARTS</td></tr> <tr><td>-CO2</td><td>NO-HUB CLEANOUT, 2"</td></tr> <tr><td>-CO3</td><td>NO-HUB CLEANOUT, 3"</td></tr> <tr><td>-CO4</td><td>NO-HUB CLEANOUT, 4"</td></tr> <tr><td>-CO6</td><td>NO-HUB CLEANOUT, 6"</td></tr> <tr><td>-COT2</td><td>NO-HUB CLEANOUT TEE, 2"</td></tr> <tr><td>-COT3</td><td>NO-HUB CLEANOUT TEE, 3"</td></tr> <tr><td>-COT4</td><td>NO-HUB CLEANOUT TEE, 4"</td></tr> <tr><td>-COT6</td><td>NO-HUB CLEANOUT TEE, 6"</td></tr> </table> <p style="margin-top: 5px;">* SPECIFY -CO OR -COT</p>		-20*	RAISED HEAD BRONZE PLUG	-31*	GALVANIZED CAST IRON PARTS	-CO2	NO-HUB CLEANOUT, 2"	-CO3	NO-HUB CLEANOUT, 3"	-CO4	NO-HUB CLEANOUT, 4"	-CO6	NO-HUB CLEANOUT, 6"	-COT2	NO-HUB CLEANOUT TEE, 2"	-COT3	NO-HUB CLEANOUT TEE, 3"	-COT4	NO-HUB CLEANOUT TEE, 4"	-COT6	NO-HUB CLEANOUT TEE, 6"
-20*	RAISED HEAD BRONZE PLUG																				
-31*	GALVANIZED CAST IRON PARTS																				
-CO2	NO-HUB CLEANOUT, 2"																				
-CO3	NO-HUB CLEANOUT, 3"																				
-CO4	NO-HUB CLEANOUT, 4"																				
-CO6	NO-HUB CLEANOUT, 6"																				
-COT2	NO-HUB CLEANOUT TEE, 2"																				
-COT3	NO-HUB CLEANOUT TEE, 3"																				
-COT4	NO-HUB CLEANOUT TEE, 4"																				
-COT6	NO-HUB CLEANOUT TEE, 6"																				
DATE OF LAST CHANGE: 04/23/15 <small>DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.</small>	JOSAM COMPANY MICHIGAN CITY, INDIANA	NOTES																			



SPECIFICATION: JOSAM 58680 SERIES ROUND COATED CAST IRON ACCESS FRAME WITH ANCHOR FLANGES AND HEAVY-DUTY SCORiated COVER.	CLEANOUT ACCESS COVER SERIES 58680																		
<div style="display: flex; justify-content: space-around; align-items: center;">   </div> <div style="text-align: center; margin-top: 20px;">  </div>																			
<p style="text-align: center;">SPECIAL WORDING ON COVER SAN OR STORM (SPECIFY ON ORDER)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">-VP</td><td>SECURED COVER, VANDAL-PROOF SCREWS</td></tr> <tr><td>-5</td><td>DUCTILE IRON COVER</td></tr> <tr><td>-20</td><td>RAISED HEAD BRONZE PLUG</td></tr> <tr><td>-26</td><td>GASKETED COVER</td></tr> <tr><td>-31</td><td>GALVANIZED CAST IRON PARTS</td></tr> <tr><td>-CO2</td><td>NO-HUB CLEANOUT, 2"</td></tr> <tr><td>-CO3</td><td>NO-HUB CLEANOUT, 3"</td></tr> <tr><td>-CO4</td><td>NO-HUB CLEANOUT, 4"</td></tr> <tr><td>-CO6</td><td>NO-HUB CLEANOUT, 6"</td></tr> </table>		-VP	SECURED COVER, VANDAL-PROOF SCREWS	-5	DUCTILE IRON COVER	-20	RAISED HEAD BRONZE PLUG	-26	GASKETED COVER	-31	GALVANIZED CAST IRON PARTS	-CO2	NO-HUB CLEANOUT, 2"	-CO3	NO-HUB CLEANOUT, 3"	-CO4	NO-HUB CLEANOUT, 4"	-CO6	NO-HUB CLEANOUT, 6"
-VP	SECURED COVER, VANDAL-PROOF SCREWS																		
-5	DUCTILE IRON COVER																		
-20	RAISED HEAD BRONZE PLUG																		
-26	GASKETED COVER																		
-31	GALVANIZED CAST IRON PARTS																		
-CO2	NO-HUB CLEANOUT, 2"																		
-CO3	NO-HUB CLEANOUT, 3"																		
-CO4	NO-HUB CLEANOUT, 4"																		
-CO6	NO-HUB CLEANOUT, 6"																		
DATE OF LAST CHANGE: 04/23/15 <small>DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCES AND CHANGE WITHOUT NOTICE. WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.</small>	JOSAM COMPANY MICHIGAN CITY, INDIANA	NOTES																	

SPECIFICATION:

JOSAM 58900 SERIES COATED CAST IRON CLEANOUT FERRULE
WITH NO-HUB CONNECTION AND BRONZE COUNTERSUNK PLUG.

CLEANOUT
NO-HUB CLEANOUT FERRULE

SERIES **58900**



PIPE SIZE	B	C
2"	1 3/4"	1-1/2"
3"	1 3/4"	2-1/2"
4"	3 7/16"	3-1/2"
6"	3 9/16"	5"

-19	PLUG TAPPED FOR CENTER SCREW
-20	RAISED HEAD BRONZE PLUG
-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA



NOTES

SPECIFICATION:

JOSAM 58910 SERIES COATED CAST IRON CLEANOUT TEE WITH
NO-HUB CONNECTION AND BRONZE COUNTERSUNK PLUG.

CLEANOUT
**NO-HUB CLEANOUT TEE
WITH PLUG**

SERIES **58910**



PIPE SIZE	B	C
2"	6-3/8	2
3"	7-3/4	3
4"	8-7/8	4
6"	12-1/2	6

-19	PLUG TAPPED FOR CENTER SCREW
-20	RAISED HEAD BRONZE PLUG
-31	GALVANIZED CAST IRON PARTS

DATE OF LAST CHANGE: 04/23/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE.
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPERSEDED OR VOID DATA.

JOSAM COMPANY
MICHIGAN CITY, INDIANA

NOTES



WARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov