


#### SPECIFICATION:

JOSAM FD-300J-A SERIES FLOOR DRAIN, TWO-PIECE BODY WITH DOUBLE DRAINAGE FLANGE, 1/2\* PRIMER TAP WITH PLUG, WEJLOC INVERTIBLE NON-PUNCTURING FLASHING COLLAR WITH WEEPHOLES, SOLVENT-WELD BOTTOM OUTLET FOR SCHEDULE 4/0 PIECE AND AND AND RESTAURING STRAINED.


### FLOOR DRAIN PVC

SERIES FD-300J-A









JO

#### OPTIONS:

DATE OF LAST CHANGE:

DIMENSIONS ARE SUBJECT TO MANUFACTURERS

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.

TOLERANCES AND CHANGE WITHOUT NOTICE.

ı	-49	3/4" PRIMER TAP				
П	-2	BRONZE ADJUSTABLE STRAINER				
	-VP	SECURED GRATE				
П	-CP	5A AND 6A ONLY				

	STRAINER	В	х	Y	FREE AREA
П	-5A	5	3/4	2-1/8	7.8
	-6A	6	1-1/4	2-3/8	11.0
	-7A	7	1-1/8	2-7/8	13.2
П	-8A	8	1-5/8	2-5/8	16.2

6.2					
SA	М	CO	MΡ	ΑN	ΙY

MICHIGAN CITY, INDIANA

, NOTES

PIPE SIZE


3-1/4

#### SPECIFICATION:


JOSAM FD-300J-S SERIES FLOOR DRAIN, TWO-PIECE BODY WITH DOUBLE DRAINAGE FLANGE, 1/2\* PRIMER TAP WITH FLUG, WEJLOC INVERTIBLE NON-PUNCTURING FLASHING COLLAR WITH WEEPHOLES, SOLVENT-WELD BOTTOM DUTLET FOR SCHEDULE 40 PIPE AND SQUARE SUPER-FLO NIKADY ADJUSTABLE STRAINER.

### FLOOR DRAIN PVC

SERIES FD-300J-S







0	PTIONS:					
	-49	3/4" PRIMER TAP				
	-2 BRONZE ADJUSTABLE STRAINER					
	-VP	SECURED GRATE				

5S AND 6S ONLY

	STRAINER	В	х	Y	FREE AREA
	-5S	5	7/8	1-7/8	9.1
П	-6S	6	7/8	2-1/4	13.8
П	-8S	8	1-1/4	2-1/2	24.5

		PIPE SIZE	н
Г	T	2"	3-1/4
Г	T	3"	4
	T	4"	4


DATE OF LAST CHANGE: 05/24/12


DIMENSIONS ARE SUBJECT TO MANUFACTURERS
TOLERANCES AND CHANGE WITHOUT NOTICE
WE CAN ASSUME NO RESPONSIBILITY FOR
USE OF SUPPERSEDED OR VOID DATA.


-CP


JOSAM COMPANY
MICHIGAN CITY, INDIANA


NOTES

































































F

13 11-5/8

14-1/2 11-7/8

21-1/2 17-7/8

25-1/2 21-3/8

31 27

Ε

14-7/8

16-5/8

20-3/8 17

26-1/8 23

> 47 35